New Mexico High School Survey

10-year Trend Analysis Report

Total
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN8: Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)								
41.0	38.4	39.2	38.2	37.9	39.0	No linear change	No quadratic change	No change
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)								
21.2	19.7	20.4	20.7	15.4	16.6	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254003
PLTF EX-02566_0001

PLTF EX
PLTF EX-02566

New Mexico High School Survey

10-year Trend Analysis Report

Total
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
8.9	7.4	6.5	6.8	4.7	4.2	Decreased, 2013-2023	No quadratic change	No change
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
40.2	37.9	39.6	38.1	36.0	34.3	Decreased, 2013-2023	No quadratic change	No change
QN13: Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)								
		9.2	7.8	5.5	5.9	Decreased, 2017-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

New Mexico High School Survey

10-year Trend Analysis Report

Total
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)								
6.3	7.8	11.8	13.9	17.0	15.6	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	No change
QN16: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)								
27.2	25.9	26.5	25.8	19.5	18.5	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)								
7.7	7.3	8.0	9.4	9.3	8.6	Increased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

New Mexico High School Survey

10-year Trend Analysis Report

Total
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey)								
		9.9	11.4	11.2	9.4	No linear change	Not available§	Decreased
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)								
9.4	8.6	11.0	9.8	9.4	8.5	No linear change	No change, 2013-2019 No change, 2019-2023	No change
QN24: Percentage of students who were bullied on school property (ever during the 12 months before the survey)								
18.2	18.4	18.7	17.4	13.3	16.3	Decreased, 2013-2023	No quadratic change	Increased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254006
PLTF EX-02566_0004

New Mexico High School Survey

10-year Trend Analysis Report

Total
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN25: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)								
13.1	13.7	14.0	13.3	12.4	13.1	No linear change	No quadratic change	No change
QN26: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)								
30.5	32.5	35.8	40.4	42.5	36.2	Increased, 2013-2023	Increased, 2013-2019 Decreased, 2019-2023	Decreased
QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)								
15.6	16.5	17.8	18.8	18.6	15.1	No linear change	Increased, 2013-2019 Decreased, 2019-2023	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254007
PLTF EX-02566_0005

New Mexico High School Survey

10-year Trend Analysis Report

Total
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN29: Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)								
9.4	9.4	9.9	10.5	10.1	8.5	No linear change	No quadratic change	No change
QN30: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)								
3.1	3.2	3.4	3.2	3.2	2.3	No linear change	No change, 2013-2019 Decreased, 2019-2023	Decreased
QN91: Percentage of students who rarely or never wore a bicycle helmet (during the 12 months before the survey, among students who had ridden a bicycle)								
83.2	84.4	83.9	79.3	80.7	78.4	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254008
PLTF EX-02566_0006

New Mexico High School Survey

10-year Trend Analysis Report

Total
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN92: Percentage of students who drove a car or other vehicle when they had been using marijuana (also called pot or weed, one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
			19.6	12.0	8.1	Decreased, 2019-2023	Not available§	Decreased
QN93: Percentage of students who report that there is a gun in their home								
46.8	45.9	48.5	46.2	44.4	42.4	No linear change	No quadratic change	No change
QN95: Percentage of students who have been the victim of teasing or name calling because of their race or ethnic background (during the 12 months before the survey)								
				15.3	16.8	No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254009
PLTF EX-02566_0007

New Mexico High School Survey

10-year Trend Analysis Report

Total
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN96: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)								
20.2	20.5	20.2	21.8	22.6	19.7	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254010
PLTF EX-02566_0008

New Mexico High School Survey

10-year Trend Analysis Report

Total Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN31: Percentage of students who smoked a cigarette (even one or two puffs)								
45.7	39.7	35.3	30.3	21.5	15.4	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	Decreased
QN32: Percentage of students who smoked a cigarette before age 13 years (even one or two puffs)								
		13.5	10.6	8.6	7.6	Decreased, 2017-2023	Not available§	No change
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)								
3.6	2.7	2.5	1.6	0.6	0.8	Decreased, 2013-2023	No quadratic change	No change
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)								
2.6	2.1	1.6	0.9	0.5	0.6	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254011
PLTF EX-02566_0009

New Mexico High School Survey

10-year Trend Analysis Report

Total
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)								
14.4	11.4	10.6	8.9	3.7	3.2	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	No change
QN34: Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)								
5.4	6.5	7.8	6.0	9.2	14.0	No linear change	No quadratic change	No change
QN35: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])								
	54.4	51.0	56.3	42.1	36.1	Decreased, 2015-2023	Not available§	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254012
PLTF EX-02566_0010

New Mexico High School Survey

10-year Trend Analysis Report

Total
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN36: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)								
	24.0	24.7	34.0	25.4	18.3	Decreased, 2015-2023	Not available§	Decreased
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)								
	3.3	3.7	7.9	8.1	6.6	Increased, 2015-2023	Not available	No change
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)								
	2.4	2.7	5.6	6.4	5.1	Increased, 2015-2023	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254013
PLTF EX-02566_0011

New Mexico High School Survey

10-year Trend Analysis Report

Total Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNFRSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)								
		1.9	1.0	0.7	0.9	Decreased, 2017-2023	Not available§	No change
QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)								
		1.6	0.8	0.6	0.8	Decreased, 2017-2023	Not available	No change
QN38: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, Camel Snus, or Velo Nicotine Lozenges], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)								
		8.2	5.9	2.4	3.0	Decreased, 2017-2023	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254014
PLTF EX-02566_0012

New Mexico High School Survey

10-year Trend Analysis Report

Total Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)								
1.6	1.5	1.7	1.3	0.7	0.7	Decreased, 2013-2023	No change, 2013-2017 Decreased, 2017-2023	No change
QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)								
1.1	1.1	1.2	0.8	0.7	0.6	Decreased, 2013-2023	No quadratic change	No change
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)								
16.7	13.5	13.0	10.7	4.3	4.3	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	No change
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)								
		15.6	12.1	5.4	5.1	Decreased, 2017-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254015
PLTF EX-02566_0013

New Mexico High School Survey

10-year Trend Analysis Report

Total
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)								
		29.5	35.1	25.6	18.3	Decreased, 2017-2023	Not available§	Decreased
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)								
	26.6	27.5	34.6	25.1	18.3	Decreased, 2015-2023	Not available	Decreased
QN39: Percentage of students who currently smoked cigars, cigarillos, or little cigars, such as Swisher Sweets, Middleton's (including Black & Mild, or Backwoods, on at least 1 day during the 30 days before the survey)								
12.3	10.5	10.2	8.3	2.2	3.1	Decreased, 2013-2023	No change, 2013-2017 Decreased, 2017-2023	Increased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254016
PLTF EX-02566_0014

New Mexico High School Survey

10-year Trend Analysis Report

Total
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN99: Percentage of students who smoked tobacco or flavored tobacco in a hookah (even just a puff, on at least 1 day during the 30 days before the survey)								
21.9	11.9	9.3	8.2	2.8	2.5	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254017
PLTF EX-02566_0015

New Mexico High School Survey

10-year Trend Analysis Report

Total
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN41: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)								
22.3	20.1	20.7	20.5	16.7	16.1	Decreased, 2013-2023	No quadratic change	No change
QN42: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)								
28.9	26.1	26.2	28.6	19.7	15.4	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	Decreased
QN43: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey)								
		10.9	12.1	8.1	6.8	Decreased, 2017-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254018
PLTF EX-02566_0016

New Mexico High School Survey

10-year Trend Analysis Report

Total
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN44: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)								
			3.6	2.6	1.8	Decreased, 2019-2023	Not available§	No change
QN45: Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)								
39.7	39.3	38.6	35.2	37.1	39.5	No linear change	No quadratic change	No change
QN47: Percentage of students who tried marijuana for the first time before age 13 years								
17.3	16.5	15.7	14.1	10.4	9.8	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254019
PLTF EX-02566_0017

New Mexico High School Survey

10-year Trend Analysis Report

Total
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN48: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)								
27.8	25.3	27.3	27.7	20.2	17.4	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)								
		16.3	17.6	15.2	13.0	Decreased, 2017-2023	Not available§	Decreased
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)								
10.3	8.8	9.4	8.4	3.9	2.9	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254020
PLTF EX-02566_0018

New Mexico High School Survey

10-year Trend Analysis Report

Total
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)								
4.0	3.5	3.4	3.0	1.1	1.3	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)								
5.0	4.4	4.1	4.2	1.6	1.6	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN54: Percentage of students who ever used ecstasy (also called "MDMA" or "Molly," one or more times during their life)								
9.2	7.9	7.1	6.8	3.7	2.3	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254021
PLTF EX-02566_0019

New Mexico High School Survey

10-year Trend Analysis Report

Total
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN55: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)								
3.1	3.2	3.3	3.4	1.2	1.6	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN103: Percentage of students who currently used synthetic marijuana (also called Spice, fake weed, K2, or Black Mamba, one or more times during the 30 days before the survey)								
8.6	6.3	5.2	10.1	5.9	3.9	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	Decreased
QN104: Percentage of students who currently took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (one or more times during the 30 days before the survey)								
			11.3	7.6	7.2	Decreased, 2019-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254022
PLTF EX-02566_0020

New Mexico High School Survey

10-year Trend Analysis Report

Total
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN105: Percentage of students who currently used any form of cocaine (including powder, crack, or freebase, one or more times during the 30 days before the survey)								
5.3	4.5	5.1	4.8	2.1	1.8	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN106: Percentage of students who currently sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high (one or more times during the 30 days before the survey)								
5.5	4.2	4.8	5.5	2.9	2.7	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN107: Percentage of students who currently used heroin (also called "smack," "junk," or "China White," one or more times during the 30 days before the survey)								
2.9	2.8	2.8	3.3	0.9	1.1	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254023
PLTF EX-02566_0021

New Mexico High School Survey

10-year Trend Analysis Report

Total
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN108: Percentage of students who currently used methamphetamines (also called "speed, " "crystal meth," "crank," "ice, " or "meth," one or more times during the 30 days before the survey)								
3.7	3.2	3.2	3.3	1.2	1.2	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254024
PLTF EX-02566_0022

New Mexico High School Survey

10-year Trend Analysis Report

Total
Sexual Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN57: Percentage of students who had sexual intercourse for the first time before age 13 years								
5.4	4.3	3.7	4.5	4.2	3.6	Decreased, 2013-2023	No quadratic change	No change
QN58: Percentage of students who had sexual intercourse with four or more persons during their life								
11.9	8.7	9.6	8.8	7.5	5.4	Decreased, 2013-2023	No quadratic change	Decreased
QN59: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)								
26.8	25.1	27.0	24.5	21.9	19.1	Decreased, 2013-2023	No change, 2013-2017 Decreased, 2017-2023	No change
QN60: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)								
19.1	18.6	19.5	23.5	20.0	18.1	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254025
PLTF EX-02566_0023

New Mexico High School Survey

10-year Trend Analysis Report

Total
Sexual Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN61: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)								
57.2	52.1	51.7	51.9	51.1	53.8	No linear change	No change, 2013-2017 No change, 2017-2023	No change
QN62: Percentage of students who used birth control pills before last sexual intercourse with opposite-sex partner (to prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active)								
				18.0	16.2	No linear change	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254026
PLTF EX-02566_0024

New Mexico High School Survey

10-year Trend Analysis Report

Total
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)§								
12.6	15.6	15.3	15.2	20.0	17.5	Increased, 2013-2023	No quadratic change	No change
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)§								
15.0	16.2	16.4	15.8	17.9	16.5	Increased, 2013-2023	No quadratic change	No change
QN68: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)								
24.7	29.2	30.2	33.1	34.9	35.9	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points. In addition, beginning in 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

CONFIDENTIAL

NMAG-SM-0254027
PLTF EX-02566_0025

New Mexico High School Survey

10-year Trend Analysis Report

Total
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)								
12.0	12.4	13.4	14.3	16.5	13.8	Increased, 2013-2023	No quadratic change	Decreased
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
6.3	7.5	8.3	9.0	10.7	9.3	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	No change
QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
57.9	54.6	55.4	52.3	47.9	48.9	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254028
PLTF EX-02566_0026

New Mexico High School Survey

10-year Trend Analysis Report

Total
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
29.9	27.5	27.5	24.9	22.6	22.4	Decreased, 2013-2023	No quadratic change	No change
QN70: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)								
37.7	40.2	40.1	42.2	43.8	44.7	Increased, 2013-2023	No quadratic change	No change
QN71: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)								
27.1	29.5	28.7	30.6	29.9	27.4	No linear change	Increased, 2013-2019 Decreased, 2019-2023	No change
QN72: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)								
49.7	52.0	51.5	51.1	54.5	53.2	Increased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254029
PLTF EX-02566_0027

New Mexico High School Survey

10-year Trend Analysis Report

Total
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN73: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)								
19.7	21.3	21.5	21.7	24.1	22.5	Increased, 2013-2023	No quadratic change	No change
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
6.0	7.1	7.7	8.3	8.9	8.3	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	No change
QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
62.4	59.4	60.5	58.3	54.7	56.8	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254030
PLTF EX-02566_0028

New Mexico High School Survey

10-year Trend Analysis Report

Total
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
30.2	28.0	29.0	27.4	24.7	24.7	Decreased, 2013-2023	No quadratic change	No change
QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
17.5	16.4	17.8	15.5	14.2	13.5	Decreased, 2013-2023	No quadratic change	No change
QN74: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, one or more times during the 7 days before the survey)								
24.7	23.5	24.5	25.3	24.8	24.0	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254031
PLTF EX-02566_0029

New Mexico High School Survey

10-year Trend Analysis Report

Total
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)								
21.2	21.0	20.2	18.3	19.0	17.1	Decreased, 2013-2023	No quadratic change	Decreased
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)								
13.3	13.0	12.4	10.7	10.5	9.7	Decreased, 2013-2023	No quadratic change	No change
QN75: Percentage of students who did not eat breakfast (during the 7 days before the survey)								
15.3	14.6	16.1	17.9	24.0	20.1	Increased, 2013-2023	No quadratic change	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254032
PLTF EX-02566_0030

New Mexico High School Survey

10-year Trend Analysis Report

Total
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)								
33.4	33.9	31.7	27.8	22.0	24.3	Decreased, 2013-2023	No quadratic change	No change
QN110: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)								
				3.9	3.9	No linear change	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254033
PLTF EX-02566_0031

New Mexico High School Survey

10-year Trend Analysis Report

Total Physical Activity

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN76: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
52.6	52.2	51.2	46.5	47.4	49.5	Decreased, 2013-2023	No quadratic change	No change
QN77: Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)								
47.3	49.8	49.1	46.1	50.6	51.7	No linear change	No quadratic change	No change
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
12.7	14.6	14.1	17.2	17.0	15.1	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254034
PLTF EX-02566_0032

New Mexico High School Survey

10-year Trend Analysis Report

Total
Physical Activity

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
31.1	30.9	30.8	26.8	26.4	28.5	Decreased, 2013-2023	No quadratic change	No change
QN79: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)								
		20.2	19.5	16.7	16.6	Decreased, 2017-2023	Not available§	No change
QNDLYPE: Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)								
25.1	27.1	25.7	24.3	28.4	29.6	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254035
PLTF EX-02566_0033

New Mexico High School Survey

10-year Trend Analysis Report

Total
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN81: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)								
	10.4	11.5	12.6	6.0	6.6	Decreased, 2015-2023	Not available§	No change
QN83: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)								
	73.5	74.6	76.0	70.4	74.8	No linear change	Not available	Increased
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)								
	2.0	1.8	1.9	1.9	2.5	No linear change	Not available	No change
QN85: Percentage of students who got 8 or more hours of sleep (on an average school night)								
	31.7	29.8	27.9	28.6	30.5	No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254036
PLTF EX-02566_0034

New Mexico High School Survey

10-year Trend Analysis Report

Total
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN86: Percentage of students who experienced unstable housing (during the 30 days before the survey)								
		6.0	5.4	3.2	2.9	Decreased, 2017-2023	Not available§	No change
QN87: Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)								
65.9	70.8	70.2	71.2	63.4	67.9	No linear change	Increased, 2013-2017 Decreased, 2017-2023	No change
QN88: Percentage of students who report that Hispanic or Latino is the group that best describes them								
46.9	49.2	48.3	49.7	51.6	55.2	No linear change	No quadratic change	No change
QN89: Percentage of students who report that the highest level of schooling their mother completed is high school or more								
70.5	68.4	68.2	69.6	67.1	65.8	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254037
PLTF EX-02566_0035

New Mexico High School Survey

10-year Trend Analysis Report

Total
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN90: Percentage of students who report that the highest level of schooling their father completed is high school or more								
62.7	59.9	59.5	60.0	55.5	55.6	Decreased, 2013-2023	No quadratic change	No change
QN111: Percentage of students who have ever been told by a doctor or a nurse that they have asthma								
23.5	25.3	24.0	23.0	22.6	19.5	Decreased, 2013-2023	No change, 2013-2017 Decreased, 2017-2023	Decreased
QN112: Percentage of students who currently have asthma								
	16.2	14.4	15.9	13.5	11.6	Decreased, 2015-2023	Not available§	No change
QN114: Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)								
			8.4	4.4	4.7	Decreased, 2019-2023	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254038
PLTF EX-02566_0036

New Mexico High School Survey

10-year Trend Analysis Report

Total
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN115: Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)								
		32.1	28.3	28.5	26.7	Decreased, 2017-2023	Not available§	No change
QN116: Percentage of students who gambled on a sports team, gambled when playing cards or a dice game, played one of New Mexico's lottery games, gambled on the Internet, or bet on a game of personal skill such as pool or a video game (one or more times during the 12 months before the survey)								
		25.6	23.2	20.5	18.8	Decreased, 2017-2023	Not available	No change
QN117: Percentage of students who speak a language other than English at home more than half the time or all of the time								
		20.0	20.9	21.4	23.1	No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254039
PLTF EX-02566_0037

New Mexico High School Survey

10-year Trend Analysis Report

Total
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN118: Percentage of students who have lived in the United States less than one year								
				2.2	3.6	Increased, 2021-2023	Not available§	Increased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254040
PLTF EX-02566_0038

New Mexico High School Survey

10-year Trend Analysis Report

Total
Mental Health

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN84: Percentage of students who reported that their mental health was most of the time or always not good (including stress, anxiety, and depression, during the 30 days before the survey)								
				32.1	24.5	Decreased, 2021-2023	Not available§	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254041
PLTF EX-02566_0039

New Mexico High School Survey

10-year Trend Analysis Report

Total
Birth Control

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)								
				6.9	8.5	No linear change	Not available§	No change
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)								
				29.8	29.7	No linear change	Not available	No change
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD, or implant, or a shot, or patch, or birth control ring before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)								
				9.6	11.2	No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254042
PLTF EX-02566_0040

New Mexico High School Survey

10-year Trend Analysis Report

Total
Birth Control

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)								
				13.6	15.2	No linear change	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254043
PLTF EX-02566_0041

New Mexico High School Survey

10-year Trend Analysis Report

Male
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN8: Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)								
41.1	39.0	40.4	39.0	39.1	39.7	No linear change	No quadratic change	No change
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)								
19.9	19.7	18.7	19.1	12.6	14.9	Decreased, 2013-2023	No quadratic change	Increased
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
10.8	8.2	6.9	7.4	4.8	4.2	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254044
PLTF EX-02566_0042

New Mexico High School Survey

10-year Trend Analysis Report

Male
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
39.4	38.0	39.3	37.6	32.9	33.7	Decreased, 2013-2023	No quadratic change	No change
QN13: Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)								
		13.8	11.6	7.8	8.6	Decreased, 2017-2023	Not available§	No change
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)								
5.9	7.8	11.0	13.1	14.8	13.2	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254045
PLTF EX-02566_0043

New Mexico High School Survey

10-year Trend Analysis Report

Male
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN16: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)								
32.8	31.1	33.1	32.2	23.5	22.3	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)								
5.4	4.1	4.8	5.7	4.3	5.0	No linear change	No quadratic change	No change
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey)								
		5.7	6.9	5.1	4.8	Decreased, 2017-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254046
PLTF EX-02566_0044

New Mexico High School Survey

10-year Trend Analysis Report

Male
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)								
7.7	7.6	9.9	8.9	7.9	8.1	No linear change	No quadratic change	No change
QN24: Percentage of students who were bullied on school property (ever during the 12 months before the survey)								
16.0	16.3	16.5	14.9	10.5	13.6	Decreased, 2013-2023	No quadratic change	Increased
QN25: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)								
8.1	9.9	9.5	9.6	9.0	9.8	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254047
PLTF EX-02566_0045

New Mexico High School Survey

10-year Trend Analysis Report

Male
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN26: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)								
21.4	23.0	26.6	30.3	30.7	25.3	Increased, 2013-2023	Increased, 2013-2019 Decreased, 2019-2023	Decreased
QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)								
11.6	11.6	13.0	12.8	13.0	10.9	No linear change	No change, 2013-2019 No change, 2019-2023	No change
QN29: Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)								
8.1	6.4	7.7	8.4	6.9	5.3	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254048
PLTF EX-02566_0046

New Mexico High School Survey

10-year Trend Analysis Report

Male
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN30: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)								
2.8	2.5	3.0	3.0	2.2	1.4	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN91: Percentage of students who rarely or never wore a bicycle helmet (during the 12 months before the survey, among students who had ridden a bicycle)								
84.9	84.9	85.3	80.1	81.3	79.5	Decreased, 2013-2023	No quadratic change	No change
QN92: Percentage of students who drove a car or other vehicle when they had been using marijuana (also called pot or weed, one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
			21.6	11.1	7.5	Decreased, 2019-2023	Not available§	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254049
PLTF EX-02566_0047

New Mexico High School Survey

10-year Trend Analysis Report

Male
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN93: Percentage of students who report that there is a gun in their home								
50.1	49.4	51.1	49.2	47.0	46.2	No linear change	No quadratic change	No change
QN95: Percentage of students who have been the victim of teasing or name calling because of their race or ethnic background (during the 12 months before the survey)								
				14.7	17.1	Increased, 2021-2023	Not available§	Increased
QN96: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)								
14.2	12.5	13.5	15.5	13.7	11.7	No linear change	No change, 2013-2019 Decreased, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254050
PLTF EX-02566_0048

New Mexico High School Survey

10-year Trend Analysis Report

Male
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN31: Percentage of students who smoked a cigarette (even one or two puffs)								
48.3	40.0	37.0	33.0	20.7	15.1	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	Decreased
QN32: Percentage of students who smoked a cigarette before age 13 years (even one or two puffs)								
		14.9	12.3	8.1	7.5	Decreased, 2017-2023	Not available§	No change
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)								
5.0	3.4	3.0	2.1	0.8	1.1	Decreased, 2013-2023	No quadratic change	No change
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)								
3.5	2.8	2.0	1.4	0.7	0.8	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254051
PLTF EX-02566_0049

New Mexico High School Survey

10-year Trend Analysis Report

Male
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)								
16.4	12.8	11.9	10.4	3.5	3.3	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	No change
QN34: Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)								
8.1	10.0	9.0	8.6	12.7	20.7	No linear change	No quadratic change	No change
QN35: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])								
	55.8	52.6	55.9	37.1	31.4	Decreased, 2015-2023	Not available§	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254052
PLTF EX-02566_0050

New Mexico High School Survey

10-year Trend Analysis Report

Male
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN36: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)								
	26.0	26.9	34.0	20.6	14.6	Decreased, 2015-2023	Not available§	Decreased
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)								
	4.5	4.9	9.6	7.1	5.2	Increased, 2015-2023	Not available	No change
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)								
	3.5	3.6	7.0	5.7	4.3	Increased, 2015-2023	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254053
PLTF EX-02566_0051

New Mexico High School Survey

10-year Trend Analysis Report

Male
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNFRSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)								
		2.9	1.7	1.1	1.3	Decreased, 2017-2023	Not available§	No change
QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)								
		2.3	1.3	1.0	1.2	Decreased, 2017-2023	Not available	No change
QN38: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, Camel Snus, or Velo Nicotine Lozenges], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)								
		11.8	8.6	3.2	3.9	Decreased, 2017-2023	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254054
PLTF EX-02566_0052

New Mexico High School Survey

10-year Trend Analysis Report

Male
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)								
2.3	2.3	1.8	1.9	1.1	0.9	Decreased, 2013-2023	No quadratic change	No change
QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)								
1.6	1.8	1.4	1.2	1.1	0.8	Decreased, 2013-2023	No quadratic change	No change
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)								
19.9	15.8	15.4	12.7	4.5	4.5	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	No change
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)								
		19.2	14.8	5.8	5.7	Decreased, 2017-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254055
PLTF EX-02566_0053

New Mexico High School Survey

10-year Trend Analysis Report

Male
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)								
		32.7	35.3	21.2	15.2	Decreased, 2017-2023	Not available§	Decreased
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)								
	28.8	30.0	34.5	20.3	14.8	Decreased, 2015-2023	Not available	Decreased
QN39: Percentage of students who currently smoked cigars, cigarillos, or little cigars, such as Swisher Sweets, Middleton's (including Black & Mild, or Backwoods, on at least 1 day during the 30 days before the survey)								
16.3	13.5	12.8	11.0	2.9	3.7	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254056
PLTF EX-02566_0054

New Mexico High School Survey

10-year Trend Analysis Report

Male
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN99: Percentage of students who smoked tobacco or flavored tobacco in a hookah (even just a puff, on at least 1 day during the 30 days before the survey)								
22.3	12.4	9.9	9.4	2.9	2.7	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254057
PLTF EX-02566_0055

New Mexico High School Survey

10-year Trend Analysis Report

Male

Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN41: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)								
24.6	22.8	22.4	22.2	16.5	15.2	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN42: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)								
27.9	25.1	24.1	25.8	16.7	12.3	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN43: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey)								
		10.0	11.0	6.5	5.2	Decreased, 2017-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254058
PLTF EX-02566_0056

New Mexico High School Survey

10-year Trend Analysis Report

Male

Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN44: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)								
			4.4	2.9	2.2	Decreased, 2019-2023	Not available§	No change
QN45: Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)								
31.9	33.1	33.3	30.3	34.1	38.5	No linear change	No quadratic change	No change
QN47: Percentage of students who tried marijuana for the first time before age 13 years								
20.8	18.6	17.4	16.1	9.7	9.1	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254059
PLTF EX-02566_0057

New Mexico High School Survey

10-year Trend Analysis Report

Male

Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN48: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)								
29.8	25.6	27.4	27.4	16.9	15.3	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)								
		15.9	16.7	12.6	11.4	Decreased, 2017-2023	Not available§	No change
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)								
12.0	11.0	11.2	10.4	3.7	2.8	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254060
PLTF EX-02566_0058

New Mexico High School Survey

10-year Trend Analysis Report

Male

Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)								
4.8	5.2	4.4	4.1	1.4	1.8	Decreased, 2013-2023	No change, 2013-2017 Decreased, 2017-2023	No change
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)								
5.8	6.1	5.1	5.5	1.5	1.9	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN54: Percentage of students who ever used ecstasy (also called "MDMA" or "Molly," one or more times during their life)								
10.1	9.2	8.3	8.7	3.7	2.3	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254061
PLTF EX-02566_0059

New Mexico High School Survey

10-year Trend Analysis Report

Male

Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN55: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)								
3.8	4.4	3.9	4.7	1.3	1.7	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN103: Percentage of students who currently used synthetic marijuana (also called Spice, fake weed, K2, or Black Mamba, one or more times during the 30 days before the survey)								
9.5	7.5	5.8	10.5	4.8	3.3	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	Decreased
QN104: Percentage of students who currently took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (one or more times during the 30 days before the survey)								
			11.2	6.1	5.9	Decreased, 2019-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254062
PLTF EX-02566_0060

New Mexico High School Survey

10-year Trend Analysis Report

Male

Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN105: Percentage of students who currently used any form of cocaine (including powder, crack, or freebase, one or more times during the 30 days before the survey)								
6.2	6.3	6.8	6.3	2.4	1.9	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN106: Percentage of students who currently sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high (one or more times during the 30 days before the survey)								
5.5	4.6	5.3	6.0	2.6	2.8	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN107: Percentage of students who currently used heroin (also called "smack," "junk," or "China White," one or more times during the 30 days before the survey)								
3.8	4.3	3.6	4.8	1.1	1.7	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254063
PLTF EX-02566_0061

New Mexico High School Survey

10-year Trend Analysis Report

Male

Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN108: Percentage of students who currently used methamphetamines (also called "speed, " "crystal meth," "crank," "ice, " or "meth," one or more times during the 30 days before the survey)								
4.8	4.7	4.3	4.9	1.5	1.5	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254064
PLTF EX-02566_0062

New Mexico High School Survey

10-year Trend Analysis Report

Male
Sexual Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN57: Percentage of students who had sexual intercourse for the first time before age 13 years								
8.0	6.0	4.8	6.0	4.5	4.1	Decreased, 2013-2023	No quadratic change	No change
QN58: Percentage of students who had sexual intercourse with four or more persons during their life								
15.2	11.0	11.9	11.2	8.6	6.7	Decreased, 2013-2023	No quadratic change	No change
QN59: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)								
25.7	24.6	26.8	25.1	20.3	17.9	Decreased, 2013-2023	No change, 2013-2017 Decreased, 2017-2023	No change
QN60: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)								
23.7	22.4	21.5	26.0	17.6	17.8	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254065
PLTF EX-02566_0063

New Mexico High School Survey

10-year Trend Analysis Report

Male

Sexual Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN61: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)								
61.3	59.5	56.6	58.4	57.8	56.1	No linear change	No quadratic change	No change
QN62: Percentage of students who used birth control pills before last sexual intercourse with opposite-sex partner (to prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active)								
				13.8	16.8	No linear change	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254066
PLTF EX-02566_0064

New Mexico High School Survey

10-year Trend Analysis Report

Male
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)§								
16.6	19.5	18.2	18.2	24.2	21.1	Increased, 2013-2023	No quadratic change	No change
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)§								
15.0	15.9	15.1	14.6	15.5	15.2	No linear change	No quadratic change	No change
QN68: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)								
22.7	27.6	27.2	30.9	32.0	35.7	Increased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points. In addition, beginning in 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

CONFIDENTIAL

NMAG-SM-0254067
PLTF EX-02566_0065

New Mexico High School Survey

10-year Trend Analysis Report

Male
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)								
13.0	14.0	14.7	16.1	17.0	14.7	Increased, 2013-2023	No quadratic change	No change
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
6.9	8.5	9.0	10.4	10.8	10.5	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	No change
QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
60.6	57.0	59.4	55.6	50.8	50.2	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254068
PLTF EX-02566_0066

New Mexico High School Survey

10-year Trend Analysis Report

Male
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
32.8	29.5	30.4	27.8	25.7	24.4	Decreased, 2013-2023	No quadratic change	No change
QN70: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)								
41.9	43.4	43.0	44.6	47.2	48.4	Increased, 2013-2023	No quadratic change	No change
QN71: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)								
26.6	28.3	28.2	29.2	27.6	26.9	No linear change	No change, 2013-2019 No change, 2019-2023	No change
QN72: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)								
48.8	50.3	48.6	47.6	51.8	52.2	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254069
PLTF EX-02566_0067

New Mexico High School Survey

10-year Trend Analysis Report

Male
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN73: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)								
22.0	21.4	23.1	22.0	23.9	22.5	No linear change	No quadratic change	No change
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
7.6	8.1	9.1	9.8	9.5	9.4	Increased, 2013-2023	No quadratic change	No change
QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
62.5	61.5	63.1	61.0	56.5	58.5	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254070
PLTF EX-02566_0068

New Mexico High School Survey

10-year Trend Analysis Report

Male
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
31.1	30.9	31.8	31.7	27.7	26.1	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
18.8	19.3	20.3	19.0	16.3	15.1	Decreased, 2013-2023	No change, 2013-2017 Decreased, 2017-2023	No change
QN74: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, one or more times during the 7 days before the survey)								
22.5	21.5	23.1	22.2	23.7	23.8	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254071
PLTF EX-02566_0069

New Mexico High School Survey

10-year Trend Analysis Report

Male
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)								
25.0	24.3	23.4	21.9	21.3	18.2	Decreased, 2013-2023	No quadratic change	Decreased
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)								
16.0	15.7	14.7	13.3	12.2	10.7	Decreased, 2013-2023	No quadratic change	No change
QN75: Percentage of students who did not eat breakfast (during the 7 days before the survey)								
15.5	13.9	16.3	18.2	21.4	18.6	Increased, 2013-2023	No quadratic change	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254072
PLTF EX-02566_0070

New Mexico High School Survey

10-year Trend Analysis Report

Male
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)								
37.2	37.6	35.3	31.1	26.8	30.3	Decreased, 2013-2023	No quadratic change	Increased
QN110: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)								
				4.3	4.2	No linear change	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254073
PLTF EX-02566_0071

New Mexico High School Survey

10-year Trend Analysis Report

Male
Physical Activity

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN76: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
59.4	60.1	59.1	53.2	54.8	55.8	Decreased, 2013-2023	No quadratic change	No change
QN77: Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)								
53.3	55.6	55.7	51.2	56.5	55.7	No linear change	No quadratic change	No change
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
10.4	11.0	11.2	14.8	13.2	13.6	Increased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254074
PLTF EX-02566_0072

New Mexico High School Survey

10-year Trend Analysis Report

Male
Physical Activity

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
38.6	38.3	39.1	33.2	33.0	33.6	Decreased, 2013-2023	No quadratic change	No change
QN79: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)								
		23.3	23.5	18.1	18.7	Decreased, 2017-2023	Not available§	No change
QNDLYPE: Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)								
29.5	30.8	29.6	26.6	31.9	31.7	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254075
PLTF EX-02566_0073

New Mexico High School Survey

10-year Trend Analysis Report

Male
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN81: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)								
	10.4	11.1	12.7	5.9	7.1	Decreased, 2015-2023	Not available§	No change
QN83: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)								
	71.7	72.8	74.5	68.9	73.2	No linear change	Not available	Increased
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)								
	2.8	2.2	2.7	2.3	3.0	No linear change	Not available	No change
QN85: Percentage of students who got 8 or more hours of sleep (on an average school night)								
	35.5	31.9	30.4	30.0	33.1	Decreased, 2015-2023	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254076
PLTF EX-02566_0074

New Mexico High School Survey

10-year Trend Analysis Report

Male
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN86: Percentage of students who experienced unstable housing (during the 30 days before the survey)								
		7.0	7.3	4.0	3.6	Decreased, 2017-2023	Not available§	No change
QN87: Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)								
60.3	66.2	64.6	67.1	59.0	64.2	No linear change	No quadratic change	No change
QN88: Percentage of students who report that Hispanic or Latino is the group that best describes them								
45.4	47.7	45.7	47.1	49.6	53.4	No linear change	No quadratic change	No change
QN89: Percentage of students who report that the highest level of schooling their mother completed is high school or more								
69.4	68.0	67.3	69.2	66.0	64.4	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254077
PLTF EX-02566_0075

New Mexico High School Survey

10-year Trend Analysis Report

Male
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN90: Percentage of students who report that the highest level of schooling their father completed is high school or more								
62.5	59.9	60.4	61.1	54.0	55.3	Decreased, 2013-2023	No quadratic change	No change
QN111: Percentage of students who have ever been told by a doctor or a nurse that they have asthma								
24.6	26.5	23.9	24.3	22.5	20.1	Decreased, 2013-2023	No quadratic change	No change
QN112: Percentage of students who currently have asthma								
	15.5	13.5	15.6	11.9	10.7	Decreased, 2015-2023	Not available§	No change
QN114: Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)								
			9.8	4.4	5.3	Decreased, 2019-2023	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254078
PLTF EX-02566_0076

New Mexico High School Survey

10-year Trend Analysis Report

Male
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN115: Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)								
		33.3	27.5	28.4	25.3	Decreased, 2017-2023	Not available§	No change
QN116: Percentage of students who gambled on a sports team, gambled when playing cards or a dice game, played one of New Mexico's lottery games, gambled on the Internet, or bet on a game of personal skill such as pool or a video game (one or more times during the 12 months before the survey)								
		35.3	32.2	26.7	25.7	Decreased, 2017-2023	Not available	No change
QN117: Percentage of students who speak a language other than English at home more than half the time or all of the time								
		20.1	19.4	19.8	21.9	No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254079
PLTF EX-02566_0077

New Mexico High School Survey

10-year Trend Analysis Report

Male
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN118: Percentage of students who have lived in the United States less than one year								
				2.8	4.5	Increased, 2021-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254080
PLTF EX-02566_0078

New Mexico High School Survey

10-year Trend Analysis Report

Male
Mental Health

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN84: Percentage of students who reported that their mental health was most of the time or always not good (including stress, anxiety, and depression, during the 30 days before the survey)								
				20.8	16.6	Decreased, 2021-2023	Not available§	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254081
PLTF EX-02566_0079

New Mexico High School Survey

10-year Trend Analysis Report

Male
Birth Control

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)								
				4.2	4.8	No linear change	Not available§	No change
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)								
				20.9	25.0	No linear change	Not available	No change
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD, or implant, or a shot, or patch, or birth control ring before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)								
				6.8	9.9	No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254082
PLTF EX-02566_0080

New Mexico High School Survey

10-year Trend Analysis Report

Male
Birth Control

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)								
				14.8	15.4	No linear change	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254083
PLTF EX-02566_0081

New Mexico High School Survey

10-year Trend Analysis Report

Female
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN8: Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)								
40.9	37.5	37.9	37.3	36.7	38.4	No linear change	No quadratic change	No change
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)								
22.5	19.5	21.9	22.3	18.4	18.3	Decreased, 2013-2023	No quadratic change	No change
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
6.7	6.4	6.0	6.0	4.5	4.3	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254084
PLTF EX-02566_0082

New Mexico High School Survey

10-year Trend Analysis Report

Female
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
41.0	37.7	39.8	38.8	39.1	34.9	Decreased, 2013-2023	No quadratic change	No change
QN13: Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)								
		4.4	3.8	3.1	3.1	Decreased, 2017-2023	Not available§	No change
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)								
6.7	7.7	12.4	14.6	19.3	17.9	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254085
PLTF EX-02566_0083

New Mexico High School Survey

10-year Trend Analysis Report

Female
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN16: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)								
21.5	20.5	19.8	19.2	15.2	14.6	Decreased, 2013-2023	No quadratic change	No change
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)								
10.2	10.6	11.1	13.3	14.3	12.2	Increased, 2013-2023	No quadratic change	No change
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey)								
		14.0	16.1	17.3	14.1	No linear change	Not available§	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254086
PLTF EX-02566_0084

New Mexico High School Survey

10-year Trend Analysis Report

Female
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)								
11.0	9.6	11.9	10.7	10.9	8.8	No linear change	No quadratic change	No change
QN24: Percentage of students who were bullied on school property (ever during the 12 months before the survey)								
20.5	20.5	20.6	19.9	16.2	18.9	Decreased, 2013-2023	No quadratic change	No change
QN25: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)								
18.3	17.4	18.5	17.0	15.8	16.4	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254087
PLTF EX-02566_0085

New Mexico High School Survey

10-year Trend Analysis Report

Female
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN26: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)								
40.0	42.3	45.1	50.7	54.7	47.4	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	Decreased
QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)								
19.9	21.4	22.7	24.8	24.2	19.1	No linear change	Increased, 2013-2019 Decreased, 2019-2023	Decreased
QN29: Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)								
10.6	12.4	11.9	12.6	13.3	11.5	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254088
PLTF EX-02566_0086

New Mexico High School Survey

10-year Trend Analysis Report

Female
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN30: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)								
3.3	3.8	3.7	3.5	4.0	3.1	No linear change	No quadratic change	No change
QN91: Percentage of students who rarely or never wore a bicycle helmet (during the 12 months before the survey, among students who had ridden a bicycle)								
80.8	84.0	82.0	78.3	80.0	76.8	Decreased, 2013-2023	No quadratic change	No change
QN92: Percentage of students who drove a car or other vehicle when they had been using marijuana (also called pot or weed, one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
			17.3	12.8	8.7	Decreased, 2019-2023	Not available§	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254089
PLTF EX-02566_0087

New Mexico High School Survey

10-year Trend Analysis Report

Female
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN93: Percentage of students who report that there is a gun in their home								
43.4	42.3	46.0	43.2	41.8	38.4	No linear change	No quadratic change	No change
QN95: Percentage of students who have been the victim of teasing or name calling because of their race or ethnic background (during the 12 months before the survey)								
				15.9	16.5	No linear change	Not available§	No change
QN96: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)								
26.4	28.6	26.8	28.1	31.5	27.9	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254090
PLTF EX-02566_0088

New Mexico High School Survey

10-year Trend Analysis Report

Female
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN31: Percentage of students who smoked a cigarette (even one or two puffs)								
43.0	39.4	33.4	27.7	22.0	15.6	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	Decreased
QN32: Percentage of students who smoked a cigarette before age 13 years (even one or two puffs)								
		11.8	9.0	9.1	7.6	Decreased, 2017-2023	Not available§	No change
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)								
2.2	2.0	1.9	1.0	0.4	0.5	Decreased, 2013-2023	No quadratic change	No change
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)								
1.7	1.5	1.2	0.5	0.4	0.4	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254091
PLTF EX-02566_0089

New Mexico High School Survey

10-year Trend Analysis Report

Female
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)								
12.3	9.8	9.0	7.4	3.8	3.1	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	No change
QN34: Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)								
1.9	1.9	4.6	2.3	5.8	6.8	No linear change	No quadratic change	No change
QN35: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])								
	52.9	49.3	56.9	47.2	40.9	Decreased, 2015-2023	Not available§	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254092
PLTF EX-02566_0090

New Mexico High School Survey

10-year Trend Analysis Report

Female
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN36: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)								
	21.9	22.4	34.1	30.4	22.2	Increased, 2015-2023	Not available§	Decreased
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)								
	1.8	2.4	6.2	8.9	7.9	Increased, 2015-2023	Not available	No change
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)								
	1.2	1.7	4.1	6.9	5.9	Increased, 2015-2023	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254093
PLTF EX-02566_0091

New Mexico High School Survey

10-year Trend Analysis Report

Female
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNFRSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)								
		0.9	0.3	0.3	0.5	No linear change	Not available§	No change
QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)								
		0.7	0.2	0.3	0.3	No linear change	Not available	No change
QN38: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, Camel Snus, or Velo Nicotine Lozenges], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)								
		4.4	2.9	1.6	2.0	Decreased, 2017-2023	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254094
PLTF EX-02566_0092

New Mexico High School Survey

10-year Trend Analysis Report

Female
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)								
0.8	0.6	1.4	0.6	0.3	0.5	Decreased, 2013-2023	No quadratic change	No change
QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)								
0.5	0.5	0.9	0.4	0.3	0.4	Decreased, 2013-2023	No quadratic change	No change
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)								
13.4	11.1	10.5	8.7	4.0	4.1	Decreased, 2013-2023	Decreased, 2013-2017 Decreased, 2017-2023	No change
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)								
		11.7	9.4	4.8	4.4	Decreased, 2017-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254095
PLTF EX-02566_0093

New Mexico High School Survey

10-year Trend Analysis Report

Female
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)								
		26.2	34.9	30.1	21.4	Decreased, 2017-2023	Not available§	Decreased
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)								
	24.4	24.8	34.6	29.9	21.8	No linear change	Not available	Decreased
QN39: Percentage of students who currently smoked cigars, cigarillos, or little cigars, such as Swisher Sweets, Middleton's (including Black & Mild, or Backwoods, on at least 1 day during the 30 days before the survey)								
8.1	7.3	7.5	5.5	1.4	2.6	Decreased, 2013-2023	No change, 2013-2017 Decreased, 2017-2023	Increased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254096
PLTF EX-02566_0094

New Mexico High School Survey

10-year Trend Analysis Report

Female
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN99: Percentage of students who smoked tobacco or flavored tobacco in a hookah (even just a puff, on at least 1 day during the 30 days before the survey)								
21.4	11.2	8.5	6.9	2.8	2.3	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254097
PLTF EX-02566_0095

New Mexico High School Survey

10-year Trend Analysis Report

Female
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN41: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)								
19.8	17.3	18.8	18.8	16.9	17.0	Decreased, 2013-2023	No quadratic change	No change
QN42: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)								
29.9	27.0	28.2	31.4	22.7	18.6	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	Decreased
QN43: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey)								
		11.6	13.2	9.8	8.4	Decreased, 2017-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254098
PLTF EX-02566_0096

New Mexico High School Survey

10-year Trend Analysis Report

Female

Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN44: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)								
			2.8	2.3	1.5	Decreased, 2019-2023	Not available§	No change
QN45: Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)								
47.1	45.2	43.4	39.5	39.6	40.3	Decreased, 2013-2023	No quadratic change	No change
QN47: Percentage of students who tried marijuana for the first time before age 13 years								
13.7	14.3	13.8	12.2	11.1	10.3	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254099
PLTF EX-02566_0097

New Mexico High School Survey

10-year Trend Analysis Report

Female

Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN48: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)								
25.7	24.9	27.1	28.1	23.6	19.5	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)								
		16.6	18.5	17.8	14.6	No linear change	Not available§	Decreased
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)								
8.5	6.4	7.3	6.3	4.0	2.9	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254100
PLTF EX-02566_0098

New Mexico High School Survey

10-year Trend Analysis Report

Female

Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)								
3.0	1.7	2.2	1.8	1.0	0.7	Decreased, 2013-2023	No quadratic change	No change
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)								
4.1	2.6	2.9	2.8	1.7	1.4	Decreased, 2013-2023	No quadratic change	No change
QN54: Percentage of students who ever used ecstasy (also called "MDMA" or "Molly," one or more times during their life)								
8.1	6.6	5.7	4.9	3.8	2.2	Decreased, 2013-2023	No quadratic change	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254101
PLTF EX-02566_0099

New Mexico High School Survey

10-year Trend Analysis Report

Female

Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN55: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)								
2.4	1.9	2.4	2.0	1.2	1.4	Decreased, 2013-2023	No quadratic change	No change
QN103: Percentage of students who currently used synthetic marijuana (also called Spice, fake weed, K2, or Black Mamba, one or more times during the 30 days before the survey)								
7.6	5.0	4.3	9.7	7.0	4.5	No linear change	No quadratic change	Decreased
QN104: Percentage of students who currently took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (one or more times during the 30 days before the survey)								
			11.3	9.1	8.5	Decreased, 2019-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254102
PLTF EX-02566_0100

New Mexico High School Survey

10-year Trend Analysis Report

Female

Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN105: Percentage of students who currently used any form of cocaine (including powder, crack, or freebase, one or more times during the 30 days before the survey)								
4.3	2.6	3.3	3.0	1.7	1.6	Decreased, 2013-2023	No quadratic change	No change
QN106: Percentage of students who currently sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high (one or more times during the 30 days before the survey)								
5.5	3.8	4.2	5.0	3.2	2.6	Decreased, 2013-2023	No quadratic change	No change
QN107: Percentage of students who currently used heroin (also called "smack," "junk," or "China White," one or more times during the 30 days before the survey)								
1.9	1.2	1.9	1.7	0.8	0.6	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254103
PLTF EX-02566_0101

New Mexico High School Survey

10-year Trend Analysis Report

Female

Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN108: Percentage of students who currently used methamphetamines (also called "speed, " "crystal meth," "crank," "ice, " or "meth," one or more times during the 30 days before the survey)								
2.5	1.6	1.9	1.7	1.0	0.9	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254104
PLTF EX-02566_0102

New Mexico High School Survey

10-year Trend Analysis Report

Female
Sexual Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN57: Percentage of students who had sexual intercourse for the first time before age 13 years								
2.7	2.7	2.5	3.0	3.7	2.9	No linear change	No quadratic change	No change
QN58: Percentage of students who had sexual intercourse with four or more persons during their life								
8.6	6.5	7.3	6.4	6.2	4.1	Decreased, 2013-2023	No quadratic change	Decreased
QN59: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)								
28.0	25.5	27.1	23.9	23.3	20.4	Decreased, 2013-2023	No quadratic change	No change
QN60: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)								
14.6	14.9	17.3	21.0	22.2	18.5	Increased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254105
PLTF EX-02566_0103

New Mexico High School Survey

10-year Trend Analysis Report

Female
Sexual Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN61: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)								
53.3	45.4	47.4	45.5	46.2	51.7	No linear change	No change, 2013-2019 No change, 2019-2023	No change
QN62: Percentage of students who used birth control pills before last sexual intercourse with opposite-sex partner (to prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active)								
				22.1	15.5	No linear change	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254106
PLTF EX-02566_0104

New Mexico High School Survey

10-year Trend Analysis Report

Female
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)§								
8.5	11.6	12.2	12.1	15.6	13.7	Increased, 2013-2023	Increased, 2013-2017 No change, 2017-2023	No change
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)§								
15.0	16.6	17.7	17.1	20.4	18.0	Increased, 2013-2023	No quadratic change	No change
QN68: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)								
26.7	30.7	33.2	35.3	37.7	35.9	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points. In addition, beginning in 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

CONFIDENTIAL

NMAG-SM-0254107
PLTF EX-02566_0105

New Mexico High School Survey

10-year Trend Analysis Report

Female
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)								
11.0	10.8	12.2	12.5	16.1	12.8	Increased, 2013-2023	No quadratic change	Decreased
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
5.7	6.4	7.5	7.7	10.6	8.2	Increased, 2013-2023	No quadratic change	No change
QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
55.2	52.3	51.3	49.0	44.9	47.7	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254108
PLTF EX-02566_0106

New Mexico High School Survey

10-year Trend Analysis Report

Female
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
27.0	25.5	24.4	22.2	19.6	20.4	Decreased, 2013-2023	No quadratic change	No change
QN70: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)								
33.4	37.1	37.3	39.9	40.6	41.1	Increased, 2013-2023	No quadratic change	No change
QN71: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)								
27.6	30.7	29.1	31.9	32.3	27.8	No linear change	Increased, 2013-2019 Decreased, 2019-2023	Decreased
QN72: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)								
50.8	53.8	54.4	54.5	57.2	54.3	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254109
PLTF EX-02566_0107

New Mexico High School Survey

10-year Trend Analysis Report

Female
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN73: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)								
17.4	21.1	19.8	21.4	24.3	22.6	Increased, 2013-2023	No quadratic change	No change
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
4.4	6.1	6.3	6.8	8.2	7.2	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	No change
QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
62.3	57.4	57.8	55.6	52.9	55.1	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254110
PLTF EX-02566_0108

New Mexico High School Survey

10-year Trend Analysis Report

Female
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
29.2	25.0	26.0	23.2	21.9	23.3	Decreased, 2013-2023	No quadratic change	No change
QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
16.2	13.4	15.2	11.9	12.2	12.0	Decreased, 2013-2023	No quadratic change	No change
QN74: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, one or more times during the 7 days before the survey)								
26.9	25.5	26.0	28.3	25.6	24.3	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254111
PLTF EX-02566_0109

New Mexico High School Survey

10-year Trend Analysis Report

Female
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)								
17.3	17.7	16.8	14.7	16.9	15.9	No linear change	No quadratic change	No change
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)								
10.6	10.3	9.8	8.0	8.8	8.6	Decreased, 2013-2023	No quadratic change	No change
QN75: Percentage of students who did not eat breakfast (during the 7 days before the survey)								
15.0	15.1	16.0	17.6	26.3	21.7	Increased, 2013-2023	No quadratic change	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254112
PLTF EX-02566_0110

New Mexico High School Survey

10-year Trend Analysis Report

Female
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)								
29.4	30.2	28.2	24.6	17.3	18.4	Decreased, 2013-2023	No change, 2013-2017 Decreased, 2017-2023	No change
QN110: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)								
				3.6	3.5	No linear change	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254113
PLTF EX-02566_0111

New Mexico High School Survey

10-year Trend Analysis Report

Female
Physical Activity

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN76: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
45.8	44.3	43.4	40.0	40.1	43.2	Decreased, 2013-2023	No quadratic change	No change
QN77: Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)								
41.0	44.0	42.3	40.9	44.8	47.8	No linear change	No quadratic change	No change
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
15.0	18.1	17.0	19.5	20.5	16.5	Increased, 2013-2023	Increased, 2013-2019 Decreased, 2019-2023	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254114
PLTF EX-02566_0112

New Mexico High School Survey

10-year Trend Analysis Report

Female
Physical Activity

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
23.5	23.4	22.4	20.4	19.7	23.4	No linear change	No quadratic change	Increased
QN79: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)								
		16.9	15.5	15.2	14.3	Decreased, 2017-2023	Not available§	No change
QNDLYPE: Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)								
20.6	23.4	21.7	22.0	24.8	27.7	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254115
PLTF EX-02566_0113

New Mexico High School Survey

10-year Trend Analysis Report

Female
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN81: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)								
	10.4	11.9	12.5	6.1	6.1	Decreased, 2015-2023	Not available§	No change
QN83: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)								
	75.4	76.6	77.5	71.9	76.5	No linear change	Not available	Increased
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)								
	1.1	1.4	1.1	1.5	2.1	No linear change	Not available	No change
QN85: Percentage of students who got 8 or more hours of sleep (on an average school night)								
	28.0	27.7	25.4	27.5	28.1	No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254116
PLTF EX-02566_0114

New Mexico High School Survey

10-year Trend Analysis Report

Female
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN86: Percentage of students who experienced unstable housing (during the 30 days before the survey)								
		4.8	3.4	2.4	2.2	Decreased, 2017-2023	Not available§	No change
QN87: Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)								
71.8	75.4	76.0	75.4	68.2	72.0	No linear change	No change, 2013-2017 Decreased, 2017-2023	No change
QN88: Percentage of students who report that Hispanic or Latino is the group that best describes them								
48.5	50.8	51.1	52.3	53.8	57.1	No linear change	No quadratic change	No change
QN89: Percentage of students who report that the highest level of schooling their mother completed is high school or more								
71.7	68.7	69.3	69.9	68.3	67.2	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254117
PLTF EX-02566_0115

New Mexico High School Survey

10-year Trend Analysis Report

Female
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN90: Percentage of students who report that the highest level of schooling their father completed is high school or more								
63.1	59.9	58.7	59.0	57.1	56.2	No linear change	No quadratic change	No change
QN111: Percentage of students who have ever been told by a doctor or a nurse that they have asthma								
22.5	24.2	23.9	21.7	22.5	18.9	Decreased, 2013-2023	No change, 2013-2017 Decreased, 2017-2023	Decreased
QN112: Percentage of students who currently have asthma								
	16.8	15.2	16.2	14.8	12.5	Decreased, 2015-2023	Not available§	No change
QN114: Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)								
			7.0	4.5	4.1	Decreased, 2019-2023	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254118
PLTF EX-02566_0116

New Mexico High School Survey

10-year Trend Analysis Report

Female
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN115: Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)								
		30.8	29.1	28.5	28.2	No linear change	Not available§	No change
QN116: Percentage of students who gambled on a sports team, gambled when playing cards or a dice game, played one of New Mexico's lottery games, gambled on the Internet, or bet on a game of personal skill such as pool or a video game (one or more times during the 12 months before the survey)								
		15.8	14.3	14.3	11.8	Decreased, 2017-2023	Not available	Decreased
QN117: Percentage of students who speak a language other than English at home more than half the time or all of the time								
		19.9	22.3	23.1	24.5	No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254119
PLTF EX-02566_0117

New Mexico High School Survey

10-year Trend Analysis Report

Female
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN118: Percentage of students who have lived in the United States less than one year								
				1.4	2.7	Increased, 2021-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254120
PLTF EX-02566_0118

New Mexico High School Survey

10-year Trend Analysis Report

Female
Mental Health

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN84: Percentage of students who reported that their mental health was most of the time or always not good (including stress, anxiety, and depression, during the 30 days before the survey)								
				43.2	32.4	Decreased, 2021-2023	Not available§	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254121
PLTF EX-02566_0119

New Mexico High School Survey

10-year Trend Analysis Report

Female
Birth Control

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)								
				9.1	11.8	No linear change	Not available§	No change
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)								
				38.1	33.6	No linear change	Not available	No change
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD, or implant, or a shot, or patch, or birth control ring before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)								
				12.4	12.4	No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254122
PLTF EX-02566_0120

New Mexico High School Survey

10-year Trend Analysis Report

Female
Birth Control

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)								
				12.6	15.1	No linear change	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254123
PLTF EX-02566_0121

New Mexico High School Survey

10-year Trend Analysis Report

White*
Injury and Violence

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN8: Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)								
31.2	31.7	35.2	30.0	36.2	32.1	No linear change	No quadratic change	No change
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)								
15.2	13.5	15.5	17.3	13.7	13.7	No linear change	No quadratic change	No change
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
6.5	5.9	5.8	4.5	4.5	3.0	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254124
PLTF EX-02566_0122

New Mexico High School Survey

10-year Trend Analysis Report

White*
Injury and Violence

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
38.9	40.6	45.4	37.0	41.1	40.6	No linear change	No quadratic change	No change
QN13: Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)								
		8.5	6.4	5.2	6.2	No linear change	Not available¶	No change
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)								
3.9	4.3	9.0	10.6	13.4	12.3	Increased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254125
PLTF EX-02566_0123

New Mexico High School Survey

10-year Trend Analysis Report

White*
Injury and Violence

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN16: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)								
20.5	21.7	25.1	23.6	18.0	16.1	Decreased, 2013-2023	Increased, 2013-2017 Decreased, 2017-2023	No change
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)								
7.0	7.2	8.4	10.4	10.9	9.9	Increased, 2013-2023	No quadratic change	No change
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey)								
		11.0	12.2	12.6	10.2	No linear change	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254126
PLTF EX-02566_0124

New Mexico High School Survey

10-year Trend Analysis Report

White*
Injury and Violence

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)								
7.6	9.2	11.2	9.6	13.1	9.1	No linear change	Increased, 2013-2017 No change, 2017-2023	No change
QN24: Percentage of students who were bullied on school property (ever during the 12 months before the survey)								
20.2	23.0	24.5	23.7	19.8	22.5	No linear change	No quadratic change	No change
QN25: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)								
12.3	16.0	15.8	15.5	17.7	15.6	No linear change	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254127
PLTF EX-02566_0125

New Mexico High School Survey

10-year Trend Analysis Report

White*
Injury and Violence

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN26: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)								
26.9	31.1	35.1	38.6	41.5	35.1	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	No change
QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)								
15.7	17.6	19.7	20.9	19.9	19.3	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	No change
QN29: Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)								
6.0	8.0	7.6	7.7	9.3	9.4	Increased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254128
PLTF EX-02566_0126

New Mexico High School Survey

10-year Trend Analysis Report

White*
Injury and Violence

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN30: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)								
1.7	2.4	2.7	2.0	2.9	2.2	No linear change	No quadratic change	No change
QN91: Percentage of students who rarely or never wore a bicycle helmet (during the 12 months before the survey, among students who had ridden a bicycle)								
69.1	73.9	72.2	61.7	71.3	64.4	No linear change	No quadratic change	No change
QN92: Percentage of students who drove a car or other vehicle when they had been using marijuana (also called pot or weed, one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
			14.0	11.3	9.3	Decreased, 2019-2023	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254129
PLTF EX-02566_0127

New Mexico High School Survey

10-year Trend Analysis Report

White*
Injury and Violence

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN93: Percentage of students who report that there is a gun in their home								
60.7	61.7	67.9	62.4	64.3	56.5	No linear change	No change, 2013-2017 Decreased, 2017-2023	Decreased
QN95: Percentage of students who have been the victim of teasing or name calling because of their race or ethnic background (during the 12 months before the survey)								
				12.3	17.3	Increased, 2021-2023	Not available¶	No change
QN96: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)								
19.7	20.3	20.3	23.8	24.1	23.4	Increased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254130
PLTF EX-02566_0128

New Mexico High School Survey

10-year Trend Analysis Report

White*
Tobacco Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN31: Percentage of students who smoked a cigarette (even one or two puffs)								
34.6	33.5	30.5	24.8	21.7	16.0	Decreased, 2013-2023	No quadratic change	No change
QN32: Percentage of students who smoked a cigarette before age 13 years (even one or two puffs)								
		10.8	7.7	8.4	7.9	No linear change	Not available¶	No change
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)								
3.8	4.2	3.0	1.6	0.5	0.8	Decreased, 2013-2023	No quadratic change	No change
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)								
2.6	3.3	1.8	1.0	0.5	0.4	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254131
PLTF EX-02566_0129

New Mexico High School Survey

10-year Trend Analysis Report

White*
Tobacco Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)								
12.2	10.4	9.4	7.9	4.1	3.7	Decreased, 2013-2023	No quadratic change	No change
QN34: Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)								
6.8	8.9	7.3	4.9	5.3	10.9	No linear change	No quadratic change	No change
QN35: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])								
	48.0	48.0	47.5	38.5	33.4	Decreased, 2015-2023	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254132
PLTF EX-02566_0130

New Mexico High School Survey

10-year Trend Analysis Report

White*
Tobacco Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN36: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)								
	19.7	24.9	27.5	21.4	16.7	No linear change	Not available¶	No change
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)								
	3.7	5.4	8.7	9.7	7.2	Increased, 2015-2023	Not available	No change
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)								
	2.8	4.2	5.9	8.3	5.6	Increased, 2015-2023	Not available	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254133
PLTF EX-02566_0131

New Mexico High School Survey

10-year Trend Analysis Report

White*
Tobacco Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNFRSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)								
		3.4	1.0	0.8	1.1	Decreased, 2017-2023	Not available¶	No change
QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)								
		3.3	0.8	0.7	0.8	Decreased, 2017-2023	Not available	No change
QN38: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, Camel Snus, or Velo Nicotine Lozenges], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)								
		8.3	4.6	3.5	2.7	Decreased, 2017-2023	Not available	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254134
PLTF EX-02566_0132

New Mexico High School Survey

10-year Trend Analysis Report

White*
Tobacco Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)								
1.0	1.5	1.0	0.7	0.5	0.8	No linear change	No quadratic change	No change
QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)								
0.8	1.2	0.8	0.6	0.5	0.6	No linear change	No quadratic change	No change
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)								
14.4	12.9	11.7	9.2	4.6	4.6	Decreased, 2013-2023	No quadratic change	No change
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)								
		15.2	10.9	6.1	5.4	Decreased, 2017-2023	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254135
PLTF EX-02566_0133

New Mexico High School Survey

10-year Trend Analysis Report

White*
Tobacco Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)								
		28.9	29.4	21.5	17.3	Decreased, 2017-2023	Not available¶	No change
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)								
	22.4	26.7	28.7	20.9	16.7	Decreased, 2015-2023	Not available	No change
QN39: Percentage of students who currently smoked cigars, cigarillos, or little cigars, such as Swisher Sweets, Middleton's (including Black & Mild, or Backwoods, on at least 1 day during the 30 days before the survey)								
9.0	9.3	8.6	6.2	2.4	3.0	Decreased, 2013-2023	No change, 2013-2017 Decreased, 2017-2023	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254136
PLTF EX-02566_0134

New Mexico High School Survey

10-year Trend Analysis Report

White*
Tobacco Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN99: Percentage of students who smoked tobacco or flavored tobacco in a hookah (even just a puff, on at least 1 day during the 30 days before the survey)								
15.3	8.5	7.6	5.1	1.8	2.1	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254137
PLTF EX-02566_0135

New Mexico High School Survey

10-year Trend Analysis Report

White*
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN41: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)								
17.6	18.3	20.7	19.1	18.5	15.9	No linear change	No quadratic change	No change
QN42: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)								
23.8	23.9	28.1	26.5	21.3	13.8	Decreased, 2013-2023	Increased, 2013-2019 Decreased, 2019-2023	Decreased
QN43: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey)								
		12.3	11.1	8.0	5.5	Decreased, 2017-2023	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254138
PLTF EX-02566_0136

New Mexico High School Survey

10-year Trend Analysis Report

White*
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN44: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)								
			3.6	2.4	2.1	No linear change	Not available¶	No change
QN45: Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)								
40.2	38.4	42.1	35.0	38.2	45.6	No linear change	No quadratic change	No change
QN47: Percentage of students who tried marijuana for the first time before age 13 years								
10.1	9.7	8.8	8.5	7.6	7.0	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254139
PLTF EX-02566_0137

New Mexico High School Survey

10-year Trend Analysis Report

White*
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN48: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)								
19.2	19.3	20.6	20.6	18.7	14.5	No linear change	No quadratic change	No change
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)								
		16.5	15.5	14.0	12.5	No linear change	Not available¶	No change
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)								
7.0	5.6	6.2	5.9	4.5	3.6	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254140
PLTF EX-02566_0138

New Mexico High School Survey

10-year Trend Analysis Report

White*
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)								
3.1	1.9	2.4	1.8	1.0	1.5	Decreased, 2013-2023	No quadratic change	No change
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)								
3.8	2.8	3.1	3.2	1.6	2.0	No linear change	No quadratic change	No change
QN54: Percentage of students who ever used ecstasy (also called "MDMA" or "Molly," one or more times during their life)								
6.7	6.4	5.5	5.0	3.6	2.2	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254141
PLTF EX-02566_0139

New Mexico High School Survey

10-year Trend Analysis Report

White*
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN55: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)								
2.5	1.8	1.8	2.2	1.0	1.8	No linear change	No quadratic change	No change
QN103: Percentage of students who currently used synthetic marijuana (also called Spice, fake weed, K2, or Black Mamba, one or more times during the 30 days before the survey)								
4.3	3.2	2.3	6.4	3.8	2.7	No linear change	No quadratic change	No change
QN104: Percentage of students who currently took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (one or more times during the 30 days before the survey)								
			8.3	6.1	5.8	No linear change	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254142
PLTF EX-02566_0140

New Mexico High School Survey

10-year Trend Analysis Report

White*
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN105: Percentage of students who currently used any form of cocaine (including powder, crack, or freebase, one or more times during the 30 days before the survey)								
3.7	2.5	2.9	2.7	2.5	1.8	No linear change	No quadratic change	No change
QN106: Percentage of students who currently sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high (one or more times during the 30 days before the survey)								
3.7	2.5	3.9	3.9	3.1	2.3	No linear change	No quadratic change	No change
QN107: Percentage of students who currently used heroin (also called "smack," "junk," or "China White," one or more times during the 30 days before the survey)								
2.4	1.5	1.7	1.8	0.9	1.1	No linear change	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254143
PLTF EX-02566_0141

New Mexico High School Survey

10-year Trend Analysis Report

White*
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN108: Percentage of students who currently used methamphetamines (also called "speed, " "crystal meth," "crank," "ice, " or "meth," one or more times during the 30 days before the survey)								
2.8	1.8	2.4	1.8	1.3	1.2	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254144
PLTF EX-02566_0142

New Mexico High School Survey

10-year Trend Analysis Report

White*
Sexual Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN57: Percentage of students who had sexual intercourse for the first time before age 13 years								
3.3	3.7	3.8	4.0	4.9	4.0	No linear change	No quadratic change	No change
QN58: Percentage of students who had sexual intercourse with four or more persons during their life								
8.5	7.8	8.7	6.8	7.5	4.6	Decreased, 2013-2023	No quadratic change	Decreased
QN59: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)								
20.3	21.2	25.7	19.1	22.9	18.0	No linear change	No quadratic change	No change
QN60: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)								
15.3	15.9	18.6	26.3	28.1	18.6	Increased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

New Mexico High School Survey

10-year Trend Analysis Report

White*
Sexual Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN61: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)								
58.5	52.6	51.2	55.5	57.7	50.7	No linear change	No quadratic change	No change
QN62: Percentage of students who used birth control pills before last sexual intercourse with opposite-sex partner (to prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active)								
				19.0	21.5	No linear change	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254146
PLTF EX-02566_0144

New Mexico High School Survey

10-year Trend Analysis Report

White*
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)¶								
10.3	12.1	9.7	11.0	15.5	12.8	Increased, 2013-2023	No quadratic change	No change
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)¶								
10.0	13.5	15.1	11.7	13.9	10.9	No linear change	Increased, 2013-2017 No change, 2017-2023	No change
QN68: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)								
26.7	33.7	33.6	37.4	39.4	42.3	Increased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points. In addition, beginning in 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

CONFIDENTIAL
NMAG-SM-0254147
PLTF EX-02566_0145

New Mexico High School Survey

10-year Trend Analysis Report

White*
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)								
10.7	13.4	13.1	13.2	17.5	14.0	Increased, 2013-2023	No quadratic change	No change
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
5.3	8.6	7.6	9.1	11.1	9.7	Increased, 2013-2023	No quadratic change	No change
QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
59.5	53.3	54.6	53.3	45.7	44.9	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254148
PLTF EX-02566_0146

New Mexico High School Survey

10-year Trend Analysis Report

White*
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
27.8	24.1	25.2	23.6	20.2	18.7	Decreased, 2013-2023	No quadratic change	No change
QN70: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)								
32.6	37.8	35.1	34.7	41.2	43.2	Increased, 2013-2023	No quadratic change	No change
QN71: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)								
27.2	29.9	29.4	32.6	30.3	32.0	Increased, 2013-2023	No quadratic change	No change
QN72: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)								
45.5	50.8	49.8	47.7	50.8	51.4	No linear change	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254149
PLTF EX-02566_0147

New Mexico High School Survey

10-year Trend Analysis Report

White*
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN73: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)								
13.0	17.5	16.5	16.8	20.8	19.8	Increased, 2013-2023	No quadratic change	No change
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
3.4	5.7	5.9	6.5	7.8	8.5	Increased, 2013-2023	No quadratic change	No change
QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
70.4	61.5	62.6	65.2	58.7	59.0	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254150
PLTF EX-02566_0148

New Mexico High School Survey

10-year Trend Analysis Report

White*
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
33.1	27.0	30.0	31.1	26.6	23.6	Decreased, 2013-2023	No quadratic change	No change
QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
17.3	15.0	16.3	15.4	14.2	10.9	Decreased, 2013-2023	No quadratic change	No change
QN74: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, one or more times during the 7 days before the survey)								
27.3	24.4	26.8	28.7	22.5	24.0	No linear change	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254151
PLTF EX-02566_0149

New Mexico High School Survey

10-year Trend Analysis Report

White*
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)								
19.5	20.5	17.1	18.5	21.5	18.1	No linear change	No quadratic change	No change
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)								
11.3	12.4	9.7	9.2	12.7	9.4	No linear change	No quadratic change	No change
QN75: Percentage of students who did not eat breakfast (during the 7 days before the survey)								
12.3	13.5	14.3	15.0	22.1	18.3	Increased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254152
PLTF EX-02566_0150

New Mexico High School Survey

10-year Trend Analysis Report

White*
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)								
42.7	37.6	38.0	33.0	26.1	28.3	Decreased, 2013-2023	No quadratic change	No change
QN110: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)								
				2.9	2.4	No linear change	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254153
PLTF EX-02566_0151

New Mexico High School Survey

10-year Trend Analysis Report

White*
Physical Activity

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN76: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
55.6	58.1	58.7	49.2	54.8	53.0	No linear change	No quadratic change	No change
QN77: Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)								
42.4	44.3	47.6	42.7	59.0	51.2	Increased, 2013-2023	No quadratic change	No change
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
10.9	12.5	11.3	14.7	13.7	13.9	Increased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254154
PLTF EX-02566_0152

New Mexico High School Survey

10-year Trend Analysis Report

White*
Physical Activity

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
32.0	33.6	36.6	28.0	31.9	31.8	No linear change	No quadratic change	No change
QN79: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)								
		18.3	18.0	17.4	15.5	No linear change	Not available¶	No change
QNDLYPE: Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)								
21.4	26.8	24.3	21.8	31.9	29.6	No linear change	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254155
PLTF EX-02566_0153

New Mexico High School Survey

10-year Trend Analysis Report

White*
Other

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN81: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)								
	8.6	10.4	9.2	6.0	6.5	Decreased, 2015-2023	Not available¶	No change
QN83: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)								
	77.6	75.8	79.5	73.1	79.6	No linear change	Not available	No change
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)								
	1.3	1.4	1.2	1.2	2.0	No linear change	Not available	No change
QN85: Percentage of students who got 8 or more hours of sleep (on an average school night)								
	29.6	27.7	28.1	28.8	30.6	No linear change	Not available	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254156
PLTF EX-02566_0154

New Mexico High School Survey

10-year Trend Analysis Report

White*
Other

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN86: Percentage of students who experienced unstable housing (during the 30 days before the survey)								
		4.2	3.3	2.3	2.0	Decreased, 2017-2023	Not available¶	No change
QN87: Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)								
76.5	78.4	81.1	81.1	72.2	76.3	No linear change	No quadratic change	No change
QN88: Percentage of students who report that Hispanic or Latino is the group that best describes them								
0.6	1.8	1.4	1.1	1.2	1.6	No linear change	No quadratic change	No change
QN89: Percentage of students who report that the highest level of schooling their mother completed is high school or more								
85.1	81.4	80.5	84.3	78.4	79.8	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254157
PLTF EX-02566_0155

New Mexico High School Survey

10-year Trend Analysis Report

White*
Other

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN90: Percentage of students who report that the highest level of schooling their father completed is high school or more								
80.8	75.1	75.2	77.5	72.7	74.0	No linear change	No quadratic change	No change
QN111: Percentage of students who have ever been told by a doctor or a nurse that they have asthma								
22.5	26.3	21.5	21.3	24.1	19.0	No linear change	No quadratic change	No change
QN112: Percentage of students who currently have asthma								
	17.0	13.1	14.0	13.7	13.3	No linear change	Not available¶	No change
QN114: Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)								
			5.7	4.0	4.7	No linear change	Not available	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254158
PLTF EX-02566_0156

New Mexico High School Survey

10-year Trend Analysis Report

White*
Other

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN115: Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)								
		27.2	21.0	21.8	21.5	No linear change	Not available¶	No change
QN116: Percentage of students who gambled on a sports team, gambled when playing cards or a dice game, played one of New Mexico's lottery games, gambled on the Internet, or bet on a game of personal skill such as pool or a video game (one or more times during the 12 months before the survey)								
		23.2	19.7	18.1	15.6	Decreased, 2017-2023	Not available	No change
QN117: Percentage of students who speak a language other than English at home more than half the time or all of the time								
		4.2	3.1	5.3	5.9	No linear change	Not available	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254159
PLTF EX-02566_0157

New Mexico High School Survey

10-year Trend Analysis Report

White*
Other

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN118: Percentage of students who have lived in the United States less than one year								
				1.6	2.4	No linear change	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254160
PLTF EX-02566_0158

New Mexico High School Survey

10-year Trend Analysis Report

White*
Mental Health

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN84: Percentage of students who reported that their mental health was most of the time or always not good (including stress, anxiety, and depression, during the 30 days before the survey)								
				38.0	28.3	Decreased, 2021-2023	Not available¶	Decreased

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254161
PLTF EX-02566_0159

New Mexico High School Survey

10-year Trend Analysis Report

White*
Birth Control

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)								
				7.0	14.1	No linear change	Not available¶	No change
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)								
				32.2	41.0	No linear change	Not available	No change
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD, or implant, or a shot, or patch, or birth control ring before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)								
				15.3	13.6	No linear change	Not available	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254162
PLTF EX-02566_0160

New Mexico High School Survey

10-year Trend Analysis Report

White*
Birth Control

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)								
				7.6	11.5	No linear change	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254163
PLTF EX-02566_0161

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Injury and Violence

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN8: Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)								
51.0	45.4	50.2	48.7	36.2	47.4	No linear change	No quadratic change	No change
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)								
36.5	22.6	21.8	22.5	7.6	18.5	Decreased, 2013-2023	No quadratic change	Increased
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
20.4	13.1	5.9	6.2	8.7	4.9	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254164
PLTF EX-02566_0162

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Injury and Violence

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
34.4	48.4	32.5	38.8	34.7	45.3	No linear change	No quadratic change	No change
QN13: Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)								
		11.2	13.7	8.8	5.0	Decreased, 2017-2023	Not available¶	No change
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)								
13.7	17.7	15.5	18.5	14.7	23.9	No linear change	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254165
PLTF EX-02566_0163

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Injury and Violence

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN16: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)								
37.7	30.5	50.6	37.6	19.9	20.8	Decreased, 2013-2023	Increased, 2013-2017 Decreased, 2017-2023	No change
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)								
10.4	12.7	12.8	12.9	5.5	5.0	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey)								
		10.9	12.7	8.4	9.2	No linear change	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254166
PLTF EX-02566_0164

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Injury and Violence

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)								
18.5	16.2	14.2	16.9	3.5	14.3	No linear change	No quadratic change	No change
QN24: Percentage of students who were bullied on school property (ever during the 12 months before the survey)								
18.1	13.5	16.1	26.4	8.2	15.2	No linear change	No quadratic change	No change
QN25: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)								
16.0	17.2	15.8	19.1	5.1	7.6	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254167
PLTF EX-02566_0165

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Injury and Violence

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN26: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)								
24.5	33.9	37.6	41.6	30.1	33.2	No linear change	Increased, 2013-2019 No change, 2019-2023	No change
QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)								
12.1	13.9	25.0	23.5	18.3	12.6	No linear change	Increased, 2013-2017 Decreased, 2017-2023	No change
QN29: Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)								
10.8	11.2	26.6	19.9	12.4	6.8	No linear change	No change, 2013-2017 Decreased, 2017-2023	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254168
PLTF EX-02566_0166

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Injury and Violence

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN30: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)								
6.5	5.4	8.3	5.1	4.0	2.1	No linear change	No quadratic change	No change
QN91: Percentage of students who rarely or never wore a bicycle helmet (during the 12 months before the survey, among students who had ridden a bicycle)								
86.8	80.1	85.6	74.4	76.3	85.2	No linear change	No quadratic change	No change
QN92: Percentage of students who drove a car or other vehicle when they had been using marijuana (also called pot or weed, one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
			29.6	14.3	12.3	Decreased, 2019-2023	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254169
PLTF EX-02566_0167

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Injury and Violence

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN93: Percentage of students who report that there is a gun in their home								
54.9	29.2	32.6	31.9	33.3	30.9	No linear change	Decreased, 2013-2017 No change, 2017-2023	No change
QN95: Percentage of students who have been the victim of teasing or name calling because of their race or ethnic background (during the 12 months before the survey)								
				23.9	37.9	Increased, 2021-2023	Not available¶	Increased
QN96: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)								
20.8	24.2	26.1	21.0	13.8	13.4	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254170
PLTF EX-02566_0168

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Tobacco Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN31: Percentage of students who smoked a cigarette (even one or two puffs)								
48.5	31.0	38.2	32.9	11.7	13.6	Decreased, 2013-2023	No quadratic change	No change
QN32: Percentage of students who smoked a cigarette before age 13 years (even one or two puffs)								
		25.6	11.7	7.3	9.1	Decreased, 2017-2023	Not available¶	No change
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)								
8.4	3.7	0.0	3.4	3.4	1.1	Not available	Not available	No change
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)								
5.2	3.7	0.0	2.1	3.4	1.1	Not available	Not available	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254171
PLTF EX-02566_0169

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Tobacco Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)								
15.6	10.0	9.9	10.5	4.0	3.5	Decreased, 2013-2023	No quadratic change	No change
QN35: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])								
	49.6	54.3	60.1	33.4	27.6	Decreased, 2015-2023	Not available¶	No change
QN36: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)								
	27.0	25.6	30.6	22.9	9.3	Decreased, 2015-2023	Not available	Decreased

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254172
PLTF EX-02566_0170

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Tobacco Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)								
	4.8	5.0	9.3	8.2	4.3	No linear change	Not available¶	No change
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)								
	4.8	3.1	7.7	7.4	1.9	No linear change	Not available	Decreased
QNFRSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)								
		0.4	1.6	2.5	1.8	No linear change	Not available	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254173
PLTF EX-02566_0171

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Tobacco Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)								
		0.4	1.6	2.5	1.8	No linear change	Not available¶	No change
QN38: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, Camel Snus, or Velo Nicotine Lozenges], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)								
		5.1	7.2	3.2	3.6	No linear change	Not available	No change
QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)								
6.3	4.2	0.4	2.3	2.5	1.9	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254174
PLTF EX-02566_0172

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Tobacco Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)								
3.1	2.6	0.4	2.3	2.5	1.9	No linear change	No quadratic change	No change
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)								
18.5	14.8	14.1	10.5	4.0	2.8	Decreased, 2013-2023	No quadratic change	No change
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)								
		15.8	11.2	4.0	2.8	Decreased, 2017-2023	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254175
PLTF EX-02566_0173

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Tobacco Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)								
		32.3	30.0	22.0	8.1	Decreased, 2017-2023	Not available¶	Decreased
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)								
	25.7	30.3	29.9	22.0	9.3	Decreased, 2015-2023	Not available	Decreased
QN39: Percentage of students who currently smoked cigars, cigarillos, or little cigars, such as Swisher Sweets, Middleton's (including Black & Mild, or Backwoods, on at least 1 day during the 30 days before the survey)								
18.2	12.5	9.3	11.2	3.8	2.9	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254176
PLTF EX-02566_0174

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Tobacco Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN99: Percentage of students who smoked tobacco or flavored tobacco in a hookah (even just a puff, on at least 1 day during the 30 days before the survey)								
25.0	13.1	7.0	12.7	2.5	3.4	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254177
PLTF EX-02566_0175

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN41: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)								
34.0	20.1	20.0	22.8	18.6	13.4	Decreased, 2013-2023	No quadratic change	No change
QN42: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)								
35.9	25.8	26.3	23.8	8.1	5.3	Decreased, 2013-2023	No quadratic change	No change
QN43: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey)								
		7.5	8.1	4.4	3.7	No linear change	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254178
PLTF EX-02566_0176

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN44: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)								
			3.4	4.5	2.1	No linear change	Not available¶	No change
QN47: Percentage of students who tried marijuana for the first time before age 13 years								
29.2	17.1	26.7	12.6	12.9	9.9	Decreased, 2013-2023	No quadratic change	No change
QN48: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)								
42.3	25.9	20.2	27.8	17.7	13.2	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254179
PLTF EX-02566_0177

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)								
		16.9	14.5	13.4	11.2	No linear change	Not available¶	No change
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)								
14.6	13.5	9.1	10.9	4.0	1.3	Decreased, 2013-2023	No quadratic change	No change
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)								
11.4	9.7	3.8	7.9	2.6	3.1	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254180
PLTF EX-02566_0178

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)								
12.0	11.6	1.4	10.7	2.6	3.1	Decreased, 2013-2023	No quadratic change	No change
QN54: Percentage of students who ever used ecstasy (also called "MDMA" or "Molly," one or more times during their life)								
13.3	16.8	6.2	11.9	3.8	5.3	Decreased, 2013-2023	No quadratic change	No change
QN55: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)								
9.7	9.3	1.6	6.4	2.5	3.1	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254181
PLTF EX-02566_0179

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN103: Percentage of students who currently used synthetic marijuana (also called Spice, fake weed, K2, or Black Mamba, one or more times during the 30 days before the survey)								
21.7	12.6	6.2	14.2	7.5	4.5	Decreased, 2013-2023	No quadratic change	No change
QN104: Percentage of students who currently took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (one or more times during the 30 days before the survey)								
			16.0	4.3	5.5	Decreased, 2019-2023	Not available¶	No change
QN105: Percentage of students who currently used any form of cocaine (including powder, crack, or freebase, one or more times during the 30 days before the survey)								
10.2	11.9	4.6	9.5	3.3	3.1	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254182
PLTF EX-02566_0180

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN106: Percentage of students who currently sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high (one or more times during the 30 days before the survey)								
11.2	7.0	4.4	10.1	5.0	6.1	No linear change	No quadratic change	No change
QN107: Percentage of students who currently used heroin (also called "smack," "junk," or "China White," one or more times during the 30 days before the survey)								
12.0	11.1	4.2	8.7	2.6	3.3	Decreased, 2013-2023	No quadratic change	No change
QN108: Percentage of students who currently used methamphetamines (also called "speed, " "crystal meth," "crank," "ice, " or "meth," one or more times during the 30 days before the survey)								
11.8	10.9	2.1	9.1	2.6	3.0	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254183
PLTF EX-02566_0181

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Sexual Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN57: Percentage of students who had sexual intercourse for the first time before age 13 years								
21.1	7.0	6.1	4.1	8.5	3.1	Decreased, 2013-2023	No quadratic change	No change
QN58: Percentage of students who had sexual intercourse with four or more persons during their life								
25.4	13.5	19.1	10.2	7.6	9.9	Decreased, 2013-2023	No quadratic change	No change
QN59: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)								
35.8	23.5	31.1	24.8	14.4	17.6	Decreased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254184
PLTF EX-02566_0182

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)¶								
15.9	14.8	16.0	12.9	17.3	15.7	No linear change	No quadratic change	No change
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)¶								
14.6	11.4	24.0	14.6	20.2	22.8	No linear change	No quadratic change	No change
QN68: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)								
31.5	36.3	20.3	37.5	40.8	32.9	No linear change	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points. In addition, beginning in 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

CONFIDENTIAL
NMAG-SM-0254185
PLTF EX-02566_0183

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)								
14.6	15.4	19.6	23.3	18.6	28.0	Increased, 2013-2023	No quadratic change	No change
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
9.7	12.7	8.4	15.5	12.6	19.3	No linear change	No quadratic change	No change
QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
57.8	55.6	53.6	49.7	50.3	54.3	No linear change	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254186
PLTF EX-02566_0184

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
34.7	25.0	31.2	23.6	26.7	19.2	No linear change	No quadratic change	No change
QN70: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)								
42.7	52.0	53.4	49.3	49.7	55.2	No linear change	No quadratic change	No change
QN71: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)								
40.3	39.3	50.5	42.0	53.1	40.6	No linear change	No quadratic change	No change
QN72: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)								
54.1	57.2	66.0	63.1	73.9	64.4	Increased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254187
PLTF EX-02566_0185

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN73: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)								
28.2	32.7	34.7	27.3	37.6	35.1	No linear change	No quadratic change	No change
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
17.1	15.9	21.5	16.2	19.8	16.1	No linear change	No quadratic change	No change
QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
58.5	52.8	55.0	54.7	45.5	45.0	No linear change	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254188
PLTF EX-02566_0186

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
35.6	30.7	26.0	25.7	20.2	22.4	Decreased, 2013-2023	No quadratic change	No change
QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
26.1	17.9	21.9	14.8	17.7	13.4	No linear change	No quadratic change	No change
QN74: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, one or more times during the 7 days before the survey)								
23.4	28.5	33.7	23.8	29.0	27.6	No linear change	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254189
PLTF EX-02566_0187

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)								
34.7	20.8	14.6	25.0	21.8	12.5	Decreased, 2013-2023	No quadratic change	No change
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)								
27.1	14.3	8.0	15.8	11.1	10.2	Decreased, 2013-2023	No quadratic change	No change
QN75: Percentage of students who did not eat breakfast (during the 7 days before the survey)								
20.2	20.4	21.5	29.1	22.3	33.6	Increased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254190
PLTF EX-02566_0188

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)								
28.5	21.7	26.7	22.9	28.9	22.3	No linear change	No quadratic change	No change
QN110: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)								
				3.9	6.4	No linear change	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254191
PLTF EX-02566_0189

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Physical Activity

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN76: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
46.9	47.6	59.5	43.3	57.5	56.9	No linear change	No quadratic change	No change
QN77: Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)								
42.0	60.7	54.1	50.6	65.0	56.8	No linear change	No quadratic change	No change
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
21.0	17.3	21.4	24.8	25.0	17.7	No linear change	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254192
PLTF EX-02566_0190

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Physical Activity

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
27.3	30.1	37.8	32.2	32.2	32.3	No linear change	No quadratic change	No change
QN79: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)								
		20.2	19.5	11.8	27.3	No linear change	Not available¶	Increased
QNDLYPE: Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)								
24.8	22.0	37.9	25.9	35.3	36.4	Increased, 2013-2023	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254193
PLTF EX-02566_0191

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Other

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN81: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)								
	9.7	13.9	23.7	12.7	9.3	No linear change	Not available¶	No change
QN83: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)								
	63.3	76.4	59.7	66.9	57.6	No linear change	Not available	No change
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)								
	2.6	0.0	5.1	5.8	9.5	Not available	Not available	No change
QN85: Percentage of students who got 8 or more hours of sleep (on an average school night)								
	23.2	12.2	29.4	32.2	36.1	Increased, 2015-2023	Not available	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254194
PLTF EX-02566_0192

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Other

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN86: Percentage of students who experienced unstable housing (during the 30 days before the survey)								
		8.1	12.8	6.1	2.2	Decreased, 2017-2023	Not available¶	No change
QN87: Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)								
57.7	65.9	70.3	65.4	57.8	67.7	No linear change	No quadratic change	No change
QN88: Percentage of students who report that Hispanic or Latino is the group that best describes them								
0.9	1.1	1.3	3.6	0.0	0.4	Not available	Not available	Not available
QN89: Percentage of students who report that the highest level of schooling their mother completed is high school or more								
75.8	67.4	68.7	77.1	74.6	70.6	No linear change	No quadratic change	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254195
PLTF EX-02566_0193

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Other

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN90: Percentage of students who report that the highest level of schooling their father completed is high school or more								
62.3	62.4	56.2	64.8	50.1	59.5	No linear change	No quadratic change	No change
QN111: Percentage of students who have ever been told by a doctor or a nurse that they have asthma								
31.4	31.7	39.2	29.8	26.9	18.3	Decreased, 2013-2023	No change, 2013-2017 Decreased, 2017-2023	No change
QN112: Percentage of students who currently have asthma								
	15.6	17.5	15.6	24.0	7.8	No linear change	Not available¶	Decreased
QN114: Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)								
			14.3	3.7	2.2	Decreased, 2019-2023	Not available	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254196
PLTF EX-02566_0194

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Other

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN115: Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)								
		30.2	29.9	21.3	24.4	No linear change	Not available¶	No change
QN116: Percentage of students who gambled on a sports team, gambled when playing cards or a dice game, played one of New Mexico's lottery games, gambled on the Internet, or bet on a game of personal skill such as pool or a video game (one or more times during the 12 months before the survey)								
		31.1	21.3	19.3	18.2	Decreased, 2017-2023	Not available	No change
QN117: Percentage of students who speak a language other than English at home more than half the time or all of the time								
		14.3	7.7	10.2	21.2	No linear change	Not available	Increased

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254197
PLTF EX-02566_0195

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Other

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN118: Percentage of students who have lived in the United States less than one year								
				5.2	2.2	No linear change	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254198
PLTF EX-02566_0196

New Mexico High School Survey

10-year Trend Analysis Report

Black*
Mental Health

Health Risk Behavior and Percentages						Linear Change†	Quadratic Change†	Change from 2021-2023 §
2013	2015	2017	2019	2021	2023			
QN84: Percentage of students who reported that their mental health was most of the time or always not good (including stress, anxiety, and depression, during the 30 days before the survey)								
				28.5	20.8	No linear change	Not available¶	No change

*Non-Hispanic.
†Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
§Based on t-test analysis, $p < 0.05$.
¶Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254199
PLTF EX-02566_0197

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN8: Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)								
44.1	39.4	39.4	39.8	37.7	40.0	Decreased, 2013-2023	Decreased, 2013-2017 No change, 2017-2023	No change
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)								
23.6	21.7	22.2	22.2	16.0	17.6	Decreased, 2013-2023	No quadratic change	No change
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
9.9	7.7	6.9	7.6	5.0	4.8	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254200
PLTF EX-02566_0198

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
43.0	38.7	39.6	40.3	36.2	33.9	Decreased, 2013-2023	No quadratic change	No change
QN13: Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)								
		9.1	7.8	5.6	5.5	Decreased, 2017-2023	Not available§	No change
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)								
6.7	8.8	13.3	15.0	18.7	17.1	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254201
PLTF EX-02566_0199

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN16: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)								
29.6	27.1	27.3	26.4	20.1	19.3	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	No change
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)								
7.4	7.2	8.3	9.0	8.9	7.9	No linear change	No quadratic change	No change
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey)								
		10.0	11.1	11.0	9.1	No linear change	Not available§	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254202
PLTF EX-02566_0200

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)								
10.0	7.8	11.2	9.7	7.9	8.5	No linear change	No quadratic change	No change
QN24: Percentage of students who were bullied on school property (ever during the 12 months before the survey)								
18.0	16.8	17.2	15.6	11.4	14.7	Decreased, 2013-2023	No quadratic change	Increased
QN25: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)								
13.9	13.2	14.2	12.6	11.2	12.8	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254203
PLTF EX-02566_0201

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN26: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)								
33.1	32.9	37.0	40.6	42.2	37.1	Increased, 2013-2023	Increased, 2013-2019 Decreased, 2019-2023	Decreased
QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)								
16.1	15.8	17.3	17.3	17.5	13.5	No linear change	No change, 2013-2019 Decreased, 2019-2023	Decreased
QN29: Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)								
10.6	9.2	10.0	10.6	9.8	7.4	No linear change	No quadratic change	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254204
PLTF EX-02566_0202

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN30: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)								
3.2	3.3	3.4	3.4	2.7	2.1	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN91: Percentage of students who rarely or never wore a bicycle helmet (during the 12 months before the survey, among students who had ridden a bicycle)								
89.9	88.3	87.8	85.8	83.8	82.3	Decreased, 2013-2023	No quadratic change	No change
QN92: Percentage of students who drove a car or other vehicle when they had been using marijuana (also called pot or weed, one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)								
			20.5	11.4	7.4	Decreased, 2019-2023	Not available§	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254205
PLTF EX-02566_0203

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Injury and Violence

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN93: Percentage of students who report that there is a gun in their home								
43.6	41.9	43.0	42.5	40.4	39.1	No linear change	No quadratic change	No change
QN95: Percentage of students who have been the victim of teasing or name calling because of their race or ethnic background (during the 12 months before the survey)								
				16.0	15.9	No linear change	Not available§	No change
QN96: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)								
19.9	20.0	19.7	20.3	21.6	17.8	No linear change	No quadratic change	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254206
PLTF EX-02566_0204

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN31: Percentage of students who smoked a cigarette (even one or two puffs)								
50.5	41.0	37.0	31.3	21.0	15.3	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	Decreased
QN32: Percentage of students who smoked a cigarette before age 13 years (even one or two puffs)								
		14.0	11.1	8.4	6.7	Decreased, 2017-2023	Not available§	No change
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)								
3.6	2.3	2.6	1.3	0.7	0.8	Decreased, 2013-2023	No quadratic change	No change
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)								
2.8	1.8	1.8	0.8	0.6	0.7	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254207
PLTF EX-02566_0205

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)								
15.3	10.7	10.9	8.7	3.2	2.8	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	No change
QN34: Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)								
5.0	5.8	9.2	6.7	11.0	16.8	Increased, 2013-2023	No quadratic change	No change
QN35: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])								
	58.8	55.3	61.2	44.7	37.3	Decreased, 2015-2023	Not available§	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254208
PLTF EX-02566_0206

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN36: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)								
	26.2	26.8	37.9	28.1	19.1	Decreased, 2015-2023	Not available§	Decreased
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)								
	3.3	3.5	8.5	8.6	7.1	Increased, 2015-2023	Not available	No change
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)								
	2.4	2.4	5.9	6.6	5.4	Increased, 2015-2023	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254209
PLTF EX-02566_0207

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNFRSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)								
		1.6	1.0	0.8	0.8	Decreased, 2017-2023	Not available§	No change
QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)								
		1.1	0.7	0.7	0.7	No linear change	Not available	No change
QN38: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, Camel Snus, or Velo Nicotine Lozenges], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)								
		8.5	6.1	2.2	2.7	Decreased, 2017-2023	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254210
PLTF EX-02566_0208

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)								
1.9	1.4	2.0	1.3	0.8	0.7	Decreased, 2013-2023	No change, 2013-2017 Decreased, 2017-2023	No change
QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)								
1.3	1.2	1.6	0.9	0.8	0.6	Decreased, 2013-2023	No quadratic change	No change
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)								
17.8	12.7	13.7	10.8	4.0	4.4	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	No change
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)								
		16.0	12.1	4.9	5.2	Decreased, 2017-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254211
PLTF EX-02566_0209

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)								
		31.7	38.6	28.0	19.1	Decreased, 2017-2023	Not available§	Decreased
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)								
	28.5	29.7	38.1	27.5	18.9	Decreased, 2015-2023	Not available	Decreased
QN39: Percentage of students who currently smoked cigars, cigarillos, or little cigars, such as Swisher Sweets, Middleton's (including Black & Mild, or Backwoods, on at least 1 day during the 30 days before the survey)								
13.7	10.7	11.3	8.6	2.1	3.4	Decreased, 2013-2023	No change, 2013-2017 Decreased, 2017-2023	Increased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254212
PLTF EX-02566_0210

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Tobacco Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN99: Percentage of students who smoked tobacco or flavored tobacco in a hookah (even just a puff, on at least 1 day during the 30 days before the survey)								
26.2	13.0	10.0	8.6	3.3	2.7	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254213
PLTF EX-02566_0211

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN41: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)								
25.8	21.7	21.9	21.9	17.3	17.7	Decreased, 2013-2023	No quadratic change	No change
QN42: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)								
33.5	28.8	27.7	31.2	21.8	17.1	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	Decreased
QN43: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey)								
		11.5	13.4	9.1	7.4	Decreased, 2017-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254214
PLTF EX-02566_0212

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN44: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)								
			4.2	3.1	1.8	Decreased, 2019-2023	Not available§	Decreased
QN45: Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)								
40.4	40.3	37.8	35.5	36.2	38.2	Decreased, 2013-2023	No quadratic change	No change
QN47: Percentage of students who tried marijuana for the first time before age 13 years								
19.2	16.9	16.5	14.7	10.4	9.5	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254215
PLTF EX-02566_0213

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN48: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)								
30.4	26.3	28.9	29.4	20.0	17.3	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)								
		16.6	18.5	16.1	13.6	Decreased, 2017-2023	Not available§	Decreased
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)								
11.7	9.5	10.9	9.1	3.8	2.8	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254216
PLTF EX-02566_0214

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)								
4.0	3.7	3.9	3.2	1.2	1.3	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)								
5.2	4.4	4.6	4.2	1.6	1.6	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN54: Percentage of students who ever used ecstasy (also called "MDMA" or "Molly," one or more times during their life)								
10.4	8.3	8.1	7.2	3.5	2.4	Decreased, 2013-2023	Decreased, 2013-2019 Decreased, 2019-2023	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254217
PLTF EX-02566_0215

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN55: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)								
3.1	3.5	3.9	3.7	1.2	1.5	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN103: Percentage of students who currently used synthetic marijuana (also called Spice, fake weed, K2, or Black Mamba, one or more times during the 30 days before the survey)								
8.9	6.8	5.8	11.3	6.3	4.4	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	Decreased
QN104: Percentage of students who currently took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (one or more times during the 30 days before the survey)								
			12.0	8.2	7.7	Decreased, 2019-2023	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254218
PLTF EX-02566_0216

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN105: Percentage of students who currently used any form of cocaine (including powder, crack, or freebase, one or more times during the 30 days before the survey)								
5.8	5.1	6.3	5.2	2.1	1.8	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN106: Percentage of students who currently sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high (one or more times during the 30 days before the survey)								
5.9	4.7	5.1	5.6	2.8	2.7	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change
QN107: Percentage of students who currently used heroin (also called "smack," "junk," or "China White," one or more times during the 30 days before the survey)								
3.0	3.0	3.4	3.5	1.0	1.2	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254219
PLTF EX-02566_0217

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Alcohol and Other Drug Use

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN108: Percentage of students who currently used methamphetamines (also called "speed, " "crystal meth," "crank," "ice, " or "meth," one or more times during the 30 days before the survey)								
3.9	3.4	3.7	3.4	1.3	1.2	Decreased, 2013-2023	No change, 2013-2019 Decreased, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254220
PLTF EX-02566_0218

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Sexual Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN57: Percentage of students who had sexual intercourse for the first time before age 13 years								
5.8	4.7	3.6	4.6	4.0	3.4	Decreased, 2013-2023	No quadratic change	No change
QN58: Percentage of students who had sexual intercourse with four or more persons during their life								
14.2	9.3	10.7	10.1	8.2	5.9	Decreased, 2013-2023	No quadratic change	Decreased
QN59: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)								
31.1	27.4	29.2	27.9	23.9	20.2	Decreased, 2013-2023	No quadratic change	Decreased
QN60: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)								
18.8	18.3	19.5	22.6	17.4	17.6	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254221
PLTF EX-02566_0219

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Sexual Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN61: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)								
57.2	52.3	52.2	51.4	49.1	55.4	No linear change	No change, 2013-2019 No change, 2019-2023	Increased
QN62: Percentage of students who used birth control pills before last sexual intercourse with opposite-sex partner (to prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active)								
				18.6	16.2	No linear change	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254222
PLTF EX-02566_0220

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)§								
12.8	15.8	17.2	15.6	19.6	18.2	Increased, 2013-2023	No quadratic change	No change
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)§								
16.5	17.3	16.5	16.7	18.9	17.1	No linear change	No quadratic change	No change
QN68: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)								
25.0	28.7	30.3	32.4	33.9	36.2	Increased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points. In addition, beginning in 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

CONFIDENTIAL

NMAG-SM-0254223
PLTF EX-02566_0221

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)								
12.9	12.1	14.3	14.5	16.7	14.0	Increased, 2013-2023	No quadratic change	Decreased
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
6.8	7.2	9.2	8.9	10.9	9.8	Increased, 2013-2023	No quadratic change	No change
QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
55.3	53.9	54.0	50.8	47.7	48.8	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254224
PLTF EX-02566_0222

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)								
28.6	27.5	27.0	24.1	22.9	22.8	Decreased, 2013-2023	No quadratic change	No change
QN70: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)								
40.9	41.8	43.5	44.9	45.2	46.4	Increased, 2013-2023	No quadratic change	No change
QN71: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)								
28.0	29.8	28.5	31.1	30.4	26.5	No linear change	No change, 2013-2019 Decreased, 2019-2023	Decreased
QN72: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)								
54.1	54.3	53.8	53.9	57.4	55.3	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254225
PLTF EX-02566_0223

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN73: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)								
23.4	23.8	24.2	24.1	26.5	24.4	No linear change	No quadratic change	Decreased
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
6.9	7.7	8.8	9.1	9.7	8.9	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	No change
QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
57.0	57.2	57.6	53.9	51.7	54.3	Decreased, 2013-2023	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254226
PLTF EX-02566_0224

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
26.5	26.3	26.8	24.3	22.2	23.3	Decreased, 2013-2023	No quadratic change	No change
QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)								
15.9	15.3	16.9	13.9	13.0	13.3	Decreased, 2013-2023	No quadratic change	No change
QN74: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, one or more times during the 7 days before the survey)								
23.7	23.3	24.0	23.8	25.2	24.1	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254227
PLTF EX-02566_0225

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)								
21.0	20.2	20.7	17.6	17.7	16.7	Decreased, 2013-2023	No quadratic change	No change
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)								
13.6	12.8	12.8	10.5	9.2	9.4	Decreased, 2013-2023	No quadratic change	No change
QN75: Percentage of students who did not eat breakfast (during the 7 days before the survey)								
16.9	15.2	17.6	18.4	24.7	21.1	Increased, 2013-2023	No quadratic change	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254228
PLTF EX-02566_0226

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Dietary Behaviors

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)								
30.0	32.4	29.7	26.6	21.2	23.2	Decreased, 2013-2023	No quadratic change	No change
QN110: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)								
				4.2	3.8	No linear change	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254229
PLTF EX-02566_0227

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Physical Activity

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN76: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
50.9	50.6	48.5	45.7	45.7	48.6	Decreased, 2013-2023	No quadratic change	No change
QN77: Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)								
47.2	50.9	50.3	46.8	48.8	52.1	No linear change	No quadratic change	No change
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
13.8	15.7	15.5	18.2	18.0	16.3	Increased, 2013-2023	Increased, 2013-2019 No change, 2019-2023	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.

CONFIDENTIAL

NMAG-SM-0254230
PLTF EX-02566_0228

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Physical Activity

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)								
30.6	29.9	28.9	26.3	25.0	28.3	Decreased, 2013-2023	No quadratic change	No change
QN79: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)								
		21.0	19.9	16.8	16.8	Decreased, 2017-2023	Not available§	No change
QNDLYPE: Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)								
23.3	26.3	25.7	24.8	27.3	28.6	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254231
PLTF EX-02566_0229

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN81: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)								
	11.0	11.9	13.6	6.4	6.6	Decreased, 2015-2023	Not available§	No change
QN83: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)								
	73.3	74.4	75.9	69.4	74.3	No linear change	Not available	Increased
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)								
	2.3	2.0	1.8	2.3	2.6	No linear change	Not available	No change
QN85: Percentage of students who got 8 or more hours of sleep (on an average school night)								
	32.3	30.4	27.4	28.3	31.3	No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254232
PLTF EX-02566_0230

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN86: Percentage of students who experienced unstable housing (during the 30 days before the survey)								
		7.2	5.8	3.3	3.3	Decreased, 2017-2023	Not available§	No change
QN87: Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)								
63.1	69.8	67.9	69.4	61.6	66.0	No linear change	No change, 2013-2017 No change, 2017-2023	No change
QN88: Percentage of students who report that Hispanic or Latino is the group that best describes them								
79.4	81.1	79.1	80.1	81.9	80.8	No linear change	No quadratic change	No change
QN89: Percentage of students who report that the highest level of schooling their mother completed is high school or more								
64.2	62.6	61.8	63.2	63.0	60.3	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254233
PLTF EX-02566_0231

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN90: Percentage of students who report that the highest level of schooling their father completed is high school or more								
54.9	53.9	52.4	52.6	49.8	48.9	Decreased, 2013-2023	No quadratic change	No change
QN111: Percentage of students who have ever been told by a doctor or a nurse that they have asthma								
24.5	25.8	25.4	23.7	22.6	20.4	Decreased, 2013-2023	No quadratic change	No change
QN112: Percentage of students who currently have asthma								
	16.6	15.3	16.5	13.1	11.6	Decreased, 2015-2023	Not available§	No change
QN114: Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)								
			9.2	4.6	4.8	Decreased, 2019-2023	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254234
PLTF EX-02566_0232

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN115: Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)								
		34.0	31.4	31.1	28.6	Decreased, 2017-2023	Not available§	No change
QN116: Percentage of students who gambled on a sports team, gambled when playing cards or a dice game, played one of New Mexico's lottery games, gambled on the Internet, or bet on a game of personal skill such as pool or a video game (one or more times during the 12 months before the survey)								
		26.9	24.3	22.1	20.2	Decreased, 2017-2023	Not available	No change
QN117: Percentage of students who speak a language other than English at home more than half the time or all of the time								
		26.4	29.0	29.4	29.4	No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254235
PLTF EX-02566_0233

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Other

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN118: Percentage of students who have lived in the United States less than one year								
				2.2	3.9	Increased, 2021-2023	Not available§	Increased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254236
PLTF EX-02566_0234

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Mental Health

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QN84: Percentage of students who reported that their mental health was most of the time or always not good (including stress, anxiety, and depression, during the 30 days before the survey)								
				30.0	23.3	Decreased, 2021-2023	Not available§	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254237
PLTF EX-02566_0235

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Birth Control

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)								
				6.5	7.0	No linear change	Not available§	No change
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)								
				29.7	27.9	No linear change	Not available	No change
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD, or implant, or a shot, or patch, or birth control ring before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)								
				8.4	10.9	No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254238
PLTF EX-02566_0236

New Mexico High School Survey

10-year Trend Analysis Report

Hispanic
Birth Control

Health Risk Behavior and Percentages						Linear Change*	Quadratic Change*	Change from 2021-2023 †
2013	2015	2017	2019	2021	2023			
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)								
				15.8	14.8	No linear change	Not available§	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.
†Based on t-test analysis, $p < 0.05$.
§Not enough years of data to calculate.

CONFIDENTIAL

NMAG-SM-0254239
PLTF EX-02566_0237